

**TEMPLISH**



SKATES / ACCESSORIES

# ROLLERSKATES

COLLECTION 2020

TEMPISH company was established in 1994 so this season, we celebrate 25 years of experience in the fields of development and trade of sport equipment both in the Czech as well as global markets. Since its establishment, the company has devoted itself to the production and wholesale of sports goods which the company introduces on the market under its own brand name TEMPISH. The main products are inline skates which TEMPISH company delivers to more than 40 countries in the world.

The substantial expansion of the collection came in 1999 when TEMPISH company added ice skates and accessories to its offer. In the following years, the assortment was further expanded by scooters and skateboards. Currently, the company cooperates with the best Czech floorball teams and devotes itself more and more to developing of top floorball equipment.



The main goal of TEMPISH company is to develop high-quality sports equipment that will be affordable to the wide public. In last few years, the company has been putting emphasis on developing and testing its products by professional sportsmen who are used to the best sports equipment. This trend pushes all products of TEMPISH brand much further.

To our satisfied customers belong professional racers as well as roller-skate beginners. The development defines our racing collection, experiences and innovations are then expressed in our other products. We want to offer the people who put their trust into TEMPISH roller-skates the best possible value.





...skates  
are the **beginning**  
of your  
**new journey...**



# PUSH THE LIMITS WITH TEMPISH ROLLER SKATES!

## CONTENT

*RACING SPEED • 7-11*

*FITNESS • 12-21*

*URBAN / SPECIAL • 22-23*

*ADJUSTABLE KIDS • 24-29*

*FREESTYLE / STREET • 30-33*

*INLINE HOCKEY • 36-38*

*QUAD SKATES • 40-53*

*PROTECTORS & HELMETS • 56-58*

*ACCESSORIES • 59-67*

*SPARE PARTS • 68-72*





**TEMPLISH**



**RACING  
SPEED**  
series **20**

# ATATU LOW

SIZE RANGE  
38-49

- SPEED
- 125 mm
- TRT 11
- ★★★★★



225g  
ALFA  
ALUMINIUM  
CHASSIS AL 7000  
CARBON



ADJUSTABLE POSITION OF CHASSIS

Wheels: DTW 125x24 mm 88A • Bearings: HI-SPEED TRT 11 • Chassis: 3 BW – chassis for 3 wheels 125 mm, high firm alloy AL 7000. It is attached to the boot by central screws with adjustable position, size: 12.6", weight: 225 grams  
• Shell: extremely light, made of 7-layered graphite fibres, low construction • Inner shape: A+

# ATATU MID

SIZE RANGE  
38-49

- SPEED
- 125 mm
- TRT 11
- ★★★★★



225g  
ALFA  
ALUMINIUM  
CHASSIS AL 7000  
CARBON



ADJUSTABLE POSITION OF CHASSIS

Wheels: DTW 125x24 mm 88A • Bearings: HI-SPEED TRT 11 • Chassis: 3 BW – chassis for 3 wheels 125 mm, high firm alloy AL 7000. It is attached to the boot by central screws with adjustable position, size: 12.6", weight: 225 grams  
• Shell: extremely light, made of 7-layered graphite fibres, middle low construction • Inner shape: A+

# SPIDER

 SPEED

 110 mm

 TRT 11

 ★★★★★



SIZE RANGE  
 38-49



ADJUSTABLE POSITION OF CHASSIS

  
 CARBON

188g  
  
 ALUMINIUM CHASSIS AL 7000

Wheels: TW 110x24 mm, 88A • Bearings: HI-SPEED TRT 11 • Chassis: WEB – super lightweight monoconstruction, high firm alloy AL 7000. It is attached to the boot by central screws with adjustable position, weight: 188 grams  
 • Shell: extremely light, made of 7-layered graphite fibres • Inner shape: A+

# GT 500 100/110

 SPEED

 100/110 mm

 TRT 11

 ★★★★★



SIZE RANGE  
 38-49



ADJUSTABLE POSITION OF CHASSIS

  
 CHASSIS AND WHEELS

	SIZE	MAX. WHEELS SIZE (mm)
GT 500 100 SCHELL 4x100	36-45	100
GT 500 110 SCHELL 4x110	36-45	110

  
 CARBON

215g  
  
 ALUMINIUM CHASSIS AL 7000

Bearings: HI-SPEED TRT 11 • Chassis: SCHELL - relieved 3D mono-construction, lower position of the boot, high firm alloy AL 7000. It is attached to the boot by central screws with adjustable position • Shell: extremely light, made of 7-layered graphite fibres  
 • Inner shape: C++

# GT 500 90

SPEED

90 mm

TRT 11

★★★★★



SIZE RANGE  
 33-35



ADJUSTABLE POSITION OF CHASSIS



CHASSIS AND WHEELS

GT 500 4x90  
SCHELL 4x90

SIZE  
33-35

MAX. WHEELS SIZE (mm)  
90

CARBON

Bearings: HI-SPEED TRT 11 • Chassis: SCHELL - relieved 3D mono-construction, lower position of the boot, high firm alloy AL 7000. It is attached to the boot by central screws with adjustable position • Shell: extremely light, made of 7-layered graphite fibres • Inner shape: C++

# GT 300

SPEED

100 mm

ABEC 7 CHROME

★★★★★



REFLECTIVE SAFETY FEATURE



ADJUSTABLE

SIZE RANGE  
 31-34  
35-38



ADJUSTABLE POSITION OF CHASSIS



UNI FRAME 3-4 WHEELS

Wheels: 3 x RADICAL 100x24 mm, 85A • Bearings: ABEC 7 chrome top-speed, hi-precision with rubber washer  
• Chassis: made of two support parts of aluminum alloy, reinforced with by pressed parts. Fixing system to shell: ideal position control chassis, surface finish - matte black with printing. Allows mounting wheels with a maximum size of 3 \* 100 mm or 4 \* 76 mm.

**WEB** - CHASSIS 4 WHEEL 110 MM

Screw pitch: 195 mm - 4 wheel 110 mm  
Size: 13.2"

**188g**  
**ALUMINIUM**  
CHASSIS AL 7000



**3 BW** - CHASSIS 3 WHEEL 125 MM

Chassis for 3 wheels 125 mm, high firm alloy AL 7000. It is attached to the boot by central screws with adjustable position.  
Size: 12.6" Weight: 225 gr.

**225g**  
**ALUMINIUM**  
CHASSIS AL 7000



**SCHELL** - CHASSIS 4 WHEEL 110 / 100 MM  
**SCHELL** - CHASSIS 3 WHEEL 110 / 100 / 90 MM

Screw pitch: 195 mm - 4 wheel 110 mm  
150 - 165 mm - 100 / 110 mm  
Size: 11.25" - 4 wheel 110 mm  
10.25" - 3 wheel 100 / 110 mm

**215g**  
**ALUMINIUM**  
CHASSIS AL 7000



**RSC-X BOOT**

size range: 37 - 46

**GT 500 BOOT**

size range: 33 - 45

**RIP**

WHEELS BAG 100 / 110 / 125 MM



## SPACER set 20 pcs

SPACERS FOR SCREWS 8 mm, set 20 pcs /  
Size: 10,10; 10,13; 10,16; 10,19; 10,22; 10,25;  
10,28; 10,32; 10,35; 10,38 mm, MIX



## SPACER set 8 pcs

SPACERS FOR SCREWS 8 mm, set 8 pcs /  
Size: 10,15 mm / 10, 25 mm



## SCREW set 8 pcs

SCREWS WITH THREAD  
Size: 31 x 8 mm



## SCREW set 2 pcs

SCREWS TO ATTACH CHASSIS TO BOOT SPEED  
Size:



## STRENGTHENED SELF-LOCKING LACES



## MICROBUCKLE



**TEMPLISH**



**FITNESS**  
series 20



# BLAX TOP

 FITNESS

 110 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



BLAX TOP



LACING SYSTEM



ADJUSTABLE POSITION OF CHASSIS



SIZE RANGE

MEN 38-47

LADY 37-42

- Wheels: RADICAL 110x24 mm 85A • Bearings: ABEC 9 chrome top speed. Hi-precision
- Chassis: special AL alloy connected by 2 central screws with adjustable position.

# ZERON

 FITNESS

 110 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE

37-45



- Wheels: RADICAL 110x24 mm 85A • Bearings: ABEC 9 chrome top speed. Hi-precision
- Chassis: special AL alloy connected by 2 central screws with adjustable position.

# VINTAGE RETRO TOP LINE

 FITNESS

 110 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



 **Vintage**  
RETRO LIMITED



LACING SYSTEM



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE



36-47

- Wheels: RADICAL 110x24 mm 85A • Bearings: ABEC 9 chrome top speed. Hi-precision
- Chassis: special AL alloy connected by 2 central screws with adjustable position.

# VINTAGE

 FITNESS

 110 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



 **Vintage**  
RETRO LIMITED



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE



36-47

- Wheels: RADICAL 110x24 mm 85A • Bearings: ABEC 9 chrome top speed. Hi-precision
- Chassis: special AL alloy connected by 2 central screws with adjustable position.



# Vintage

RETRO LIMITED



**TEMPLISH**

# BLACK SHADOW 90

 FITNESS

 90 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



BLACK SHADOW 84 LADY

BLACK SHADOW 84




LACING SYSTEM



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE



MEN 38-47

LADY 36-42

**BLACKSHADOW**  
LIMITED SERIES

Wheels: RADICAL 90x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision  
• Chassis: relieved monoconstruction, AL alloy, attached to the boot by central screws with adjustable position

# BLACK SHADOW 84

 FITNESS

 84 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



BLACK SHADOW 84

BLACK SHADOW 84 LADY




LACING SYSTEM



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE



MEN 38-47

LADY 37-42

**BLACKSHADOW**  
LIMITED SERIES

Wheels: RADICAL 84x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision  
• Chassis: AL alloy, constructionally strongly reinforced by deep drawing. Fixing system to shell: combination of ideal position control chassis

# WENOX TOP

# WENOX



LACING SYSTEM

FITNESS

100 mm

ABEC 9 CHROME

★★★★★



REFLECTIVE SAFETY FEATURE



+ UNI BRAKE



MEN  
39-45  
LADY  
37-42

Wheels: RADICAL 100x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision  
• Chassis: special Al alloy, strengthened by 3D pressing, fixing system to shell: ideal position control chassis

# EZZA 90

# eza

FITNESS

90 mm

ABEC 9 CHROME

★★★★★



REFLECTIVE SAFETY FEATURE



+ UNI BRAKE



ADJUSTABLE POSITION OF CHASSIS



MEN  
38-45  
LADY  
37-42

Wheels: RADICAL 90x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision  
• Chassis: special AL alloy connected by 2 central screws with adjustable position.

# I-GO 100

 FITNESS

 100 mm

 ABEC 9 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE




# i-go



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE

 MEN 38-45  
LADY 36-43

Wheels: RADICAL 100x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision

• Chassis: Lightweight mono-construction, CNC technology of high strength aluminium alloy, fixed with central screws with the possibility setting of the position. Surface finish - anodized

# WIRE 2.0

 FITNESS

 84 mm

 ABEC 9 CHROME

 ★★★★★




REFLECTIVE SAFETY FEATURE



# WIRE2.0

SIZE RANGE

 MEN 38-45  
LADY 37-42

Wheels: RADICAL 84x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision

• Chassis: special Al alloy, strengthened by 3D pressing, fixing system to shell: ideal position control chassis

# XT4

 FITNESS

 84 mm

 ABEC 7 CHROME

 ★★ ★★



REFLECTIVE SAFETY FEATURE




XT4

XT4 LADY

# XT4

 REMOVABLE INNER BOOT

SIZE RANGE 

MEN 38-46

LADY 37-42

Wheels: RADICAL 84x24 mm, 85A • Bearings: ABEC 7 chrome steel

• Chassis: special Al alloy, strengthened by 3D pressing, fixing system to shell: ideal position control chassis, surface finish: silver brilliancy

# GRADE S

 FITNESS

 80 mm

 ABEC 7 CARBON

 ★★ ★



REFLECTIVE SAFETY FEATURE




BLACK SHADOW 84

BLACK SHADOW 84 LADY

# GRADE

# S

 REMOVABLE INNER BOOT

SIZE RANGE 

MEN 38-46

LADY 37-42

Wheels: RADICAL 84x24 mm, 85A • Bearings: ABEC 9 chrome top-speed, hi-precision

• Chassis: AL alloy, constructionally strongly reinforced by deep drawing. Fixing system to shell: combination of ideal position control chassis

# SPARE CHASSIS FOR SKATES

## RAPID 3S UNI 3x125 mm

Screw pitch/length: 150 mm to 195 mm / 276 mm (10,87")  
Material: AL alloy A356 / Weight: 280 g



## RAPID 3S FIX 3x125 mm

Screw pitch/length: 150 mm, 165 mm, 180 mm, 195 mm / 276 mm (10,87")  
Material: AL alloy A356 / Weight: 300 g



## RAPID 3S UNI SET 3x125 mm

Screw pitch/length: 150 mm to 195 mm / 276 mm (10,87")  
Material: AL alloy A356 / Weight: 280 g

+ Wheels 3x125 mm 90A / Bearings: ILQ 9 PRO



LIFE BEGINS  
OUTSIDE,  
OF YOUR  
COMFORT ZONE



**TEMPLISH**



**URBAN  
STREET**  
series **20**

# CRONOS 110 BEAST

URBAN

110 mm

ABEC 9 CHROME

★★★★★



ADJUSTABLE POSITION OF CHASSIS

SIZE RANGE  
38-46

Wheels: PU Super Hi-Rebound 90A, 110x24 mm • Bearings: ABEC 9 chrome top-speed, hi-precision  
• Chassis: special AL alloy connected by 2 central screws with adjustable position.

# COCTAIL MATE

URBAN

76/80 mm

ABEC 7 CHROME

★★★★★



REFLECTIVE SAFETY FEATURE



## COCTAIL MATE



ADJUSTABLE POSITION OF CHASSIS

CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
34-37	76
38-41	80

ADJUSTABLE

SIZE RANGE  
34-37  
38-41

• Wheels: RADICAL 76/80x24 mm • Bearings: ABEC 7 chrome steel, hi-precision  
• Chassis: special AL alloy connected by 2 central screws with adjustable position.

**TEMPLISH**



# ADJUSTABLE KIDS series 20



# NERROW 3 3x100

**nerrow**

 KIDS

 100 mm

 ABEC 7 CARBON

 ★★★★★



UNI FRAME  
3-4 WHEELS



NERROW 3 black

NERROW 3 white



ADJUSTABLE



31-34

35-38

39-42

Wheels: PU hi-rebound 100 mm, 82 A • Bearings: ABEC 7 chrome with rubber washer

• Chassis: made of 2 bearing aluminum parts, reinforced pressed construction. Fixed by central screws ADJUSTABLE POSITION CHASSIS. Surface finish – colored anodizing with printing. Possibility to put wheels of maximal size 3\*100mm or 4\*84mm!

# DASTY

 KIDS

 70-76 mm

 ABEC 5 CARBON

 ★★★★★



CHASSIS AND WHEELS



DASTY

DASTY GIRL

SIZE	MAX. WHEELS SIZE (mm)
33-36	70
37-40	72
41-43	76



ADJUSTABLE



33-36

37-40

41-43



REFLECTIVE SAFETY FEATURE

Wheels: TEMPISH – CATCH 70/72/76 x 24 mm, 82 A • Bearings: ABEC 5 carbon steel

• Chassis: special relived AL alloy– 2 pcs, fixed by pressed 3D construction, fixing system to shell: ideal position control chassis. Surface finish – colored anodizing with printing.

# MAGIC REBEL



## CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
29-32	64
33-36	70
37-40	72
41-43	76



## ADJUSTABLE



29-32
33-36
37-40
41-43



MAGIC REBEL  
black / white

KIDS

64-76 mm

ABEC 7  
CARBON

★★★★



REFLECTIVE  
SAFETY FEATURE

Wheels: TEMPISH – CATCH 64/70/72/76 x 24 mm, 82A • Bearings: ABEC 7 carbon steel

• Chassis: special relived AL alloy – 2 pcs, fixed by pressed 3D construction, fixing system to shell: ideal position control

# VINTAGE RETRO JUNIOR



## CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
29-32	64
33-36	70
37-40	70



## ADJUSTABLE



29-32
33-36
37-40



KIDS

64-70 mm

ABEC 5  
CARBON

★★★★

Wheels: TEMPISH – CATCH 64/70 x 24 mm, 82 A • Bearings: ABEC 5 carbon steel

• Chassis: PP hi-impact with print, fixing system to shell – ideal position control chassis


# CLIPS DUO

KIDS

64-70 mm

ABEC 5 CARBON

★★



CLIPS DUO

CLIPS DUO GIRL



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
29-32	64
33-36	70
37-40	70



ADJUSTABLE

SIZE RANGE

29-32
33-36
37-40

Wheels: TEMPISH – CATCH 64/70 x 24 mm, 82 A • Bearings: ABEC 5 carbon steel  
 • Chassis: PP hi-impact with print, fixing system to shell – ideal position control chassis • Replaceable inline chassis included

# CLIPS INLINE

KIDS

64-70 mm

ABEC 5 CARBON

★★★★



CLIPS INLINE

CLIPS INLINE GIRL



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
29-32	64
33-36	70
37-40	70



ADJUSTABLE

SIZE RANGE

29-32
33-36
37-40

Wheels: TEMPISH – CATCH 64/70 x 24 mm, 82 A • Bearings: ABEC 5 carbon steel  
 • Chassis: PP hi-impact with print, fixing system to shell – ideal position control chassis

# SWIST FLASH

SWIST

KIDS

70 mm

ABEC 5  
CARBON

★★



REFLECTIVE  
SAFETY FEATURE



SWIST FLASH blue

SWIST FLASH white

LED FLASHING  
WHEELS



ADJUSTABLE



26-29

30-33

Wheels: TEMPISH CATCH 64x24 mm, 82A - 2 LED flashing wheels and 2 normal wheels • Bearings: ABEC 5 carbon steel  
• Chassis: PP hi-impact with print, fixing system to shell – ideal position control chassis

# BABY SKATES BOY

BABY  
SKATES

KIDS

64 mm

608Z

★★



ADJUSTABLE



26-29

30-33

Wheels: TEMPISH – CATCH 64 x 24 mm, 82 A • Bearings: 608Z  
• Chassis: PP hi-impact with print, fixing system to shell – ideal position control chassis

# BABY SKATES GIRL

# BABY SKATES

 KIDS

 64 mm

 608Z

 ★★




  
ADJUSTABLE

SIZE RANGE  


26=29

30=33

Wheels: TEMPISH – CATCH 64 x 24 mm, 82 A • Bearings: 608Z  
• Chassis: PP hi-impact with print, fixing system to shell – ideal position control chassis



**TEMPLISH**



**FREESTYLE**  
**STREET**  
**series 20**

# RSC-X

 FREESTYLE

 76/80 mm

 ABEC 9 CHROME

 ★★★★★



ADJUSTABLE POSITION OF CHASSIS



REFLECTIVE SAFETY FEATURE



2 EXCENTRIC SCREWS



EXCENT CHASSIS WITHOUT ROCKERING



EXCENT CHASSIS WITH ROCKERING



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
37-40	76
41-46	80

SIZE RANGE



37-46

Wheels: TEMPISH FREE-S 85A 76/80 x 24 mm • Bearings: ABEC 9 chrome top-speed, hi-precision

• Chassis: CNC construction, DOUBLE EXTRA L+S, AL6061, Wheels attachment 1+4: rocking possibility, Sizes: 4\*76 mm – 231 mm, 4\*80 mm – 243mm, Screw pitches for attachment to the shell: 150, 165, 180, 195 mm, Surface: black alox + silver fine CNC finishing

# BLACK ICE HOOD

 FREESTYLE

 76/80 mm

 ABEC 7 CHROME

 ★★★★★



REFLECTIVE SAFETY FEATURE



REMOVABLE INNER BOOT



HOOD



ADJUSTABLE POSITION OF CHASSIS



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
38-39	76
40-44	80

SIZE RANGE



38-44

• Wheels: SPRING 85A 76/80x24 mm • Bearings: ABEC 7 chrome steel, hi-precision

• Chassis: CNC construction extra hard, monolith, rocking wheels construction, surface finish: full blk alox, without brake, transversely and longitudinally adjustable, Mounting pitch: 150, 165, 180 mm, Wheel pitch: 38-39: 228 mm, 40-44: 242 mm

# CRONOS

 FREESTYLE

 76/80 mm

 ABEC 7 CHROME

 ★★★★★

 REMOVABLE INNER BOOT



*CRONOS*



ADJUSTABLE POSITION OF CHASSIS



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
38-39	76
40-46	80

SIZE RANGE  38-46

Wheels: Freestyle HR PU casting 85A 76/80 x 24 mm • Bearings: ABEC 7 chrome top-speed, hi-precision

- Chassis: one piece of high pressure die casting technology, surface finish - full coating with printing, without brake, adjustable in the longitudinal and transverse direction, Screw pitch: M - 148 to 175mm, L - 152 to 180mm, Wheel pitch: M - 230mm, L - 243mm

# COCTAIL VARIO

 FREESTYLE

 70 mm

 ABEC 7 CHROME

 ★★★★★



ADJUSTABLE POSITION OF CHASSIS



REFLECTIVE SAFETY FEATURE


 REMOVABLE INNER BOOT



*coctail*



ADJUSTABLE

SIZE RANGE  34-37  
38-41

• Wheels: RADICAL 70x24 mm • Bearings: ABEC 7 chrome steel, hi-precision

- Chassis: Hi-press casting technology, monolith, lightened strengthened 3D construction, surface finish - black sand finishing, attached to shell by main screws with individual setting position, screw pitch - 140-150 mm, length of chassis 215 mm



FOR EVERY  
PART OF DAY

**TEMPLISH**



**AGGRESSIVE**  
**series 20**

# EXTREM 2

 AGGRESSIVE

 57/44 mm

 ABEC 7 CHROME

 ★★★★★



# EXTREM2



SIZE RANGE  
 38-46

Wheels: AGRESIV 57/44 mm 64D, 57 mm 94A • Bearings: ABEC 7 chrome top-speed, hi-precision  
• Chassis: „UFS compatible“, nylon with fiberglass - strengthened, middle slide-cube, central screws



**TEMPLISH**



# INLINE HOCKEY

series **20**

# TRITON BLACKSTORM C

# BLACK STORM

HOCKEY

70-80 mm

ABEC 9  
CHROME

★★★★★

EXTREMELY  
ANATOMICAL SHAPE



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
37-38	70/72
39-41	72/76
42-47	76/80



- Wheels: RADICAL 70/72/76/80 x 24 mm 82A • Bearings: ABEC 9 chrome top-speed, hi-precision
- Frame: MESH ULTRA C, CNC AL alloy, thickness: 2,8mm, extremely embedded screw that are in the same level as chassis, screw secured against rotation. • BLACKSTORM model is suitable for use on asphalt and surfaces.

# VOLT R

# VOLT-R

HOCKEY

70-80 mm

ABEC 9  
CHROME

★★★★★



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
37-38	70/72
39-41	72/76
42-45	76/80



- Wheels: WOOW 70/72/76/80 x 24 mm 78A • Bearings: ABEC 9 chrome top-speed, hi-precision
- Frame: MESH ULTRA R, CNC AL alloy, thickness: 2,8mm, extremely embedded screw that are in the same level as chassis, screw secured against rotation. • VOLT-R model is suitable for use on plastic and smooth surfaces.

# ACCESSORIES FOR INLINE HOCKEY

## WOOW

- WHEELS FOR INLINE HOCKEY




### SIZE:

WOOW 84x24 78A	4 pcs
WOOW 80x24 78A	4 pcs
WOOW 76x24 78A	4 pcs
WOOW 72x24 78A	4 pcs
WOOW 70x24 78A	4 pcs

## MESH ULTRA C / MESH ULTRA R

- FRAME FOR INLINE HOCKEY SKATES

CNC AL alloy, thickness: 2,8mm, extremely embedded screw that are in the same level as chassis, screw secured against rotation.



## SQUARE SCREW

- SCREW FOR MESH ULTRA CHASSIS, 6 mm



### SIZE TABLE:

		A		B
	Size	Screw pitch	Wheels	Lenght
S	36-38	216	2*72+2*70	213
M	39-41	225	2*76+2*72	221,6
L	42-47	237	2*80+2*76	223,9

## G5s SR / G5s JR - IN-LINE HOCKEY STICK

size: 152, 130 cm  
shaft: material: plywood  
blade: material: full-area fibreglass, ABS, wood  
flex: 70 (152 cm), 50 (130 cm)  
direction: right / left



## IN-LINE HOCKEY PUCK

material: PU



## HOCKEYBALL BALL

material: PVC





**HOCKEY...  
LOVE THAT  
NEVER ENDS**



**VOLT-R**





# DANCE THROUGH THE LIFE



**TEMPLISH**



# QUAD SKATES

series 20



# CAMILA QUAD

 QUAD


 58 mm

 ABEC 7 CHROME

 ★★★★★



**CLASSIC** ★  
series

SIZE RANGE  
 36-41



**ADJUSTABLE STOPPER**

- Wheels: PU 58x32 mm 85A • Bearings: ABEC 7 chrome • Stopper: adjustable rubber mid
- Chassis: strengthened AL alloy, brake with adjustable position and security lock screw, cushion - PU 80A (white)
- Boot: strongly reinforced, soft lining in the Achilles tendon area. Improved lining in the ankle area.

# CLASSIC

 QUAD

 58 mm

 ABEC 7 CHROME

 ★★★



**CLASSIC** ★  
series

SIZE RANGE  
 35-41

- Wheels: PU hi-rebound 58x32 mm, 85A • Bearings: ABEC 7 chrome • Stopper: PU
- Chassis: AL with removable stopper, cushion-82A • Boot: strongly reinforced boot with the transition to a comfortable reinforcement in the area above the ankle - provides comfortable movement, the outer material is genuine leather.

# CLASSIC STAR

 QUAD


 58 mm

 ABEC 7 CHROME

 ★★



**CLASSIC** ★  
series

SIZE RANGE  
 33-41

Wheels: PU hi-rebound 58x32 mm, 85A • Bearings: ABEC 7 chrome • Stopper: PU  
• Chassis: AL with removable stopper, cushion-82A • Boot: strongly reinforced boot with the transition to a comfortable reinforcement in the area above the ankle - provides comfortable movement, the outer material is genuine leather.

# TINY PLUS

 QUAD

 54 mm

 ABEC 7 CHROME

 ★★★



**CLASSIC** ★  
series

SIZE RANGE  
 28-34

 DIAMOND STONES

Wheels: PU 54x32 mm, 85A • Bearings: ABEC 7 chrome • Stopper: PU • Chassis: AL with removable stopper, cushion-78A  
• Boot: Medium reinforced boot with the transition to a comfortable (softer) reinforcement in the area above the ankle - provides comfortable movement

# NESSIE STAR AQUA

nessie  
series

QUAD

58 mm

ABEC 7  
CHROME

★★★★



SIZE RANGE  
36-42

Wheels: 58x32 mm PU Casted HR, transparent + Glitters, 85A • Bearings: ABEC 7 chrome • Stopper: PU Casted  
• Chassis: Aluminum Chassis / Cushions: PUC 84A • Boot: Special strongly reinforced, outside complete real leather, crystals design, embossing logo and soft area in the heel with an outside design.

# NESSIE STAR PINK

nessie  
series

QUAD

58 mm

ABEC 7  
CHROME

★★★★



SIZE RANGE  
36-41

Wheels: 58x32 mm PU Casted HR, transparent + Glitters, 85A • Bearings: ABEC 7 chrome • Stopper: PU Casted  
• Chassis: Aluminum Chassis / Cushions: PUC 84A • Boot: Special strongly reinforced, outside complete real leather, crystals design, embossing logo and soft area in the heel with an outside design.

# NESSIE PEACOCK

nessie  
series

QUAD

58 mm

ABEC 7  
CHROME

★★★



SIZE RANGE  
33-43

Wheels: 58x32 mm 85A PU Casted HR • Bearings: ABEC 7 chrome • Stopper: PU Casted  
• Chassis: PP chassis Black / Cushions: PUC 84A • Boot: Medium reinforced, outside construction with PVC and the classic shape of quadskate above the ankle.

# NESSIE DISCO

nessie  
series

QUAD

58 mm

ABEC 7  
CHROME

★★★



SIZE RANGE  
33-41

Wheels: 58x32 mm PU Casted HR, transparent + Glitters, 85A • Bearings: ABEC 7 chrome • Stopper: TPR  
• Chassis: PP chassis Black / Cushions: PUC 80A • Boot: Medium reinforced, outside superlight material, unique effects of colors.


# SUNNY LEOPARD

QUAD

54 mm

ABEC 7 CHROME

★★★



Wheels: 54x32 mm 85A PU Casted HR • Bearings: ABEC 7 chrome • Stopper: PU Casted  
• Chassis: PP chassis Alloy truck / Cushions: PUC 80A • Boot: Medium strongly reinforced, outside construction with real leather, PVC and mesh materials, extra protection in the heel to avoid injuries


# SUNNY BLOOM

QUAD

54 mm

ABEC 7 CHROME

★★★



Wheels: 54x32 mm 85A PU Casted HR • Bearings: ABEC 7 chrome • Stopper: PU Casted  
• Chassis: PP chassis, PP truck / Cushions: PUC 80A • Boot: Medium strongly reinforced, outside construction with real leather, PVC and mesh materials, extra protection in the heel to avoid injuries

# PINKY

 QUAD

 54/58 mm

 ABEC 5  
CARBON

 ★★




# Pinky



CHASSIS AND WHEELS

SIZE	MAX. WHEELS SIZE (mm)
33-36	54
37-42	58



Wheels: 54/58 x32 mm PU Casted HR + Glitters • Bearings: ABEC 5 carbon • Stopper: TPR • Chassis: White PP Chasis, Cushions: PUC 80A  
• Boot: Medium reinforced, outside construction with Mesh and the classic shape of quadskate above the ankle.



# TINY TAFFY

 QUAD

 54 mm

 ABEC 7 CHROME

 ★★★

# TAFFY COLLECTION

SIZE RANGE



28-36



DIAMOND STONES



Wheels: TEMPISH QUAD PU 54x32 mm, 85A • Bearings: ABEC 7 chrome • Stopper: PU • Truck: AL with removable stopper, cushion-78A • Boot: Medium reinforced boot with the transition to a comfortable (softer) reinforcement in the area above the ankle - provides comfortable movement

## TAFFY knee cover

Material - textile polyester  
Size: XXS, XS, S, M



## TAFFY wrist guard

Wrist protector with stiffener on both sides of the wrist.  
Size range: XS, S, M



## TAFFY skate bag



# VERSΟ TRIPLE II

# VERSΟ

 QUAD

 54 mm

 ABEC 5 CARBON

 ★★



VERSΟ TRIPLE II



VERSΟ TRIPLE II GIRL

 ADJUSTABLE

SIZE RANGE  


26-29  
30-33  
34-37



3 types of changeable chassis: IN-LINE / QUAD / ICE SKATE



- Wheels: TEMPISH QUAD 54x32 mm, 90A • Bearings: ABEC 5 carbon steel • Chassis: PP with printing, with changeable brake on every chassis
- Shell: hi-impact PE, 3-parts, adjustable, relieved semi soft, one mutual buckle AUTO LOCK, lacing fixed by Velcro stripe
- Inner liner: reinforced NYLON/NYLEX, anatomical, strengthened by PVC parts, anatomical lining, medium-high construction of the boot
- 3 types of changeable chassis: QUAD (see model VERSO) / IN-LINE - Wheels: TEMPISH CATCH 60 mm (S, M), 70 mm (L), 82A / Bearings: ABEC 5 carbon steel / ICE SKATE

# SUPRAX SENIOR

## ROLLERHOCKEY SERIES

 QUAD

 63 mm

 ABEC 7 CHROME

 ★★★★★



SIZE RANGE  
 37-42



ADJUSTABLE STOPPER

Wheels: TEMPISH QRH 63x32 mm 92A • Bearings: ABEC 7 chrome top-speed, hi-precision • Stopper: PVC • Truck: strength aluminum alloy, attachment to the shoe using four screws. Adjustable truck hardness. Replaceable rubber stopper with adjustable height. Cushion: PU 85A (black)  
• Boot: medium strongly reinforced, heavily reinforced tiptoe for extra protection, inner material combed VISA, outer material: genuine cowhide.

# SUPRAX JUNIOR

## ROLLERHOCKEY SERIES

 QUAD

 58 mm

 ABEC 7 CHROME

 ★★★



SIZE RANGE  
 30-39

Wheels: TEMPISH QRH 58x32 mm 85A • Bearings: ABEC 7 chrome top-speed, hi-precision • Stopper: PVC • Truck: material nylon, attachment to the shoe using four screws. Adjustable truck hardness. Replaceable PU stopper. Cushion: PU 80A (white)  
• Boot: medium strongly reinforced, heavily reinforced tiptoe for extra protection, inner material combed VISA, outer material: PVC.

# ACCESSORIES FOR QUAD SKATES

## GIULIA Q BOOT

size: 33 - 42



## FAVORIT II

Aluminium chassis with adjustable stopper



## QUAD - WHEELS

Set of 4 pieces of spare wheels for the QUAD skates with low rolling resistance and extended life. QUAD series is suitable for higher quality and smoother surfaces.  
material: PU

set 4 pcs

90A 54x32 mm



set 4 pcs

85A 65x35 mm



set 4 pcs

85A 54x32 mm



set 4 pcs

85A 58x32 mm



set 4 pcs

95A 57x38 mm  
93A 57x38 mm  
90A 57x38 mm



set 4 pcs

82A 58x32 mm



## FLASHING QUAD - WHEELS

set 4 pcs

85A 54x32 mm  
85A 58x32 mm





**LIVE YOUR  
LIFE THROUGH  
SPORTS**



SKATE OR DIE

**TEMPLISH**



# PROTECTORS

series **20**

TEMPLISH

### ACURA 1 - WRIST PROTECTOR

size: S, M, L, XL



ACURA 1 - black

ACURA 1 - pink

### ACURA 2 - WRIST PROTECTOR

size: S, M, L, XL



ACURA 2 - black

ACURA 2 - white

### TAKY - 3-SET PROTECTORS

size: S, M, L, XL



TAKY black

TAKY pink

### BING - 2-SET SLEEVES

size: S, M, L, XL, 2XL, 3XL



BING black

BING pink

### FID - 3-SET PROTECTORS

size: S, M, L, XL



FID black

FID pink

### FID KIDS - 3-SET PROTECTORS

size: XS, S, M



FID KIDS black

FID KIDS pink

### RIMZ - 3-SET PROTECTORS

size: S, M, L, XL



## SKILLET AIR - HELMET

size: S, M, L

Adjusting button

Outer material: Denim cover with holes for perfect air ventilation.

Inside material: Safety EPS.



SKILLET AIR - OCEAN



SKILLET AIR - RED



SKILLET AIR - GREY

## MARILLA - HELMET

size: XS: 48-50cm / S: 51-53cm / M: 54-56cm /  
L: 56-58cm XL: 59-60cm

Adjusting button

Inside material: Safety EPS.



MARILLA - BLACK

MARILLA - BLUE



MARILLA - WHITE

MARILLA - GREEN

## SKILLET X - HELMET

size: S/M, L/XL

Skillet X have 2 sizes M and L, each size come with an extra foam to change M to S or L to XL

Adjusting button

Inside material: Safety EPS.



SKILLET X - LUCKY

SKILLET X - ELECTRO



SKILLET X - CANDY

SKILLET X - SENSE



SKILLET X - SKY

## RAYBOW - HELMET

size:


XS: 45-47 cm / S: 47-49 cm / M: 49-52 cm / L: 52-54 cm

Adjusting button

Inside material: Safety EPS.



RAYBOW - BOYS



RAYBOW - GIRL

**TEMPISH**



# ACCESSORIES

series 20

## DIXI NEW - BACKPACK

- **Material:** Dolby nylon ripstop • **Size:** 50x31x19 • **Volume:** 27L
- Outside pocket designed for carrying inline skates
- Anatomical back reinforcement
- Backpack raincoat included



SWEET

STICKERS

## VEXTER - BACKPACK

- **Size:** 52 x 32 x 18
- **Volume:** 30 L
- Universal backpack
- Separated ventilated boot area



## ENDEX - BACKPACK

- **Size:** 41 x 29 x 15
- **Volume:** 16 L
- Enough pockets for personal belongings (wallet, keys, phone, laptop, etc.)



## TUDY - DRAWSTRING BACKPACK

**Size:** 34 x 44 x 7cm

- One large zipped outer pocket, size 20 x 34 cm
- One inner pocket with Velcro, size 17 x 17 cm



BLACK

PINK

## SKATE BAG CRACK

- Universal bag for quad, inline and ice skates
- Separate side pocket for small items (mobile phone, keys, wallet etc.)



## SKATE BAG NEW

- Universal bag for quad, inline and ice skates
- Separate side pocket for small items (mobile phone, keys, wallet etc.)



MEN

WOMEN

GIRL

## BATARTH - BAG

- **Volume:** 36 L
- **Weight limit:** 8 kg
- **Material:** 100% Dolby nylon
- Sports bag for inline and ice skates
- Inner removable pocket



RASPBERRY

GREEN

## EXPLORS - SPORTS BAG

- **Size:** M, L
- **Dimension:** M (45x26x43,5cm) / L (60x35x50cm)
- **Volume:** M 38+12 L / L 75+25 L
- Universal sports bag
- Separate boot and cloth area



## CHAMPER - SPORTS BAG

- **Volume:** 36 L
- **Weight limit:** 8 kg
- **Material:** 100% Dolby nylon
- Sports bag for inline and ice skates
- Inner removable pocket



## FIX - CASE FOR MOBILE

Case for mobile phone for fastening to the arm.  
Size: mobile phone with a diagonal measurement of up to 4' / 5' / 5,7' / 6'



## BELT - FANNY PACK



## ROLLER KNIGHT

- JERSEY

JUNIOR - size range: 134, 146, 158

SENIOR - size range: XS, S, M, L, XL, XXL



## ROLLER KNIGHT

- THERMO INSULATED JERSEY

JUNIOR - size range: 134, 146, 158

SENIOR - size range: XS, S, M, L, XL, XXL



## ROLLER KNIGHT

- THERMO INSULATED PENS

JUNIOR - size range: 134, 146, 158


SENIOR - size range: XS, S, M, L, XL, XXL



## ROLLER KNIGHT

- GLOVES

size range: S, M, L



## ACTIVATED NEW / ACTIVATED NEW LADY - T-SHIRTS

Material: 95 % cotton + 5 % elastane, 175 g/m<sup>2</sup>

MEN: Sizes: S, M, L, XL, XXL  
LADY: Sizes: XS, S, M, L, XL



## SKATE AIR SOFT - SOCKS

Size range: 3-4, 5-6, 7-8, 9-10, 11-12, 13-14  
Composition: cotton 60%, PP 26%, lycra 14%



## SKATE AIR MID - SOCKS

Size range: 3-4, 5-6, 7-8, 9-10, 11-12  
Composition: PP 56%, SENSURA 33%, lycra 11%



## SKATE SELECT - SOCKS

Size range: 3-4, 5-6, 7-8, 9-10, 11-12, 13-14  
Material: 75% cotton, 17% polypropylene, 6% polyamide, 2% elastane



## SKATE AIR YOUNG - SOCKS

**KIDS SOCKS**  
Size range: 28-30, 31-32, 33-34, 35-36  
Composition: merino wool 45%, cotton 25%,  
polypropylen 20%, polyamid 7%, elastane 3%



## TOWIE

Size: 50x30 cm  
Material: 100 % cotton



## TERRI SHORT - SWEATBANDS



## TERRI LONG - SWEATBANDS



## CONTRA - SPORT GLASSES

UV 400 - 100% protection

Lens material: polycarbonate (PC) with protection against fogging and scratching

Accessories: bag for glasses of microfiber - suitable for cleaning lenses, 4 different spare lenses, insertion frame for spectacle lenses, bag and cleaning microfiber cloth, elastic band, neck strap, hard glasses case including all accessories



## LAKI - SPORT GLASSES

UV 400 - 100% protection

Lens material: polycarbonate (PC) with protection against fogging and scratching

Accessories: bag for glasses of microfiber - suitable for cleaning lenses



## RETRO - GLASSES

UV 400 - 100% protection

Lens material: Acetate (AC) with protection against fogging and scratching

Accessories: bag for glasses of microfiber - suitable for cleaning lenses



### INSOLE - ANATOMICAL

Size: 33 - 47



### INSOLE - FLAT

Size: 33 - 44



### INSOLE - COMFORT

Size: 36 - 45



### COMFORT LINER

Size: 36 - 45



### STANDARD LINER

Size: 36 - 45



### SLIDE MAT DRILL

Training „slide“ mat which is used after fixed installation on the floor or other surface

Size: 180/50 cm, 230/50cm



### SNIKE - DRYER FOR SHOES

Universal electric shoe dryer.

Voltage: 230V, Max. power: 10w

Operating temperature: max 50-80° C



### PIRUETTE SPINNERS

• Color: aztec, dream, koru • Material: ABS + Polycarbonate

• Length: 24cm • Weight: 170g



### FRESH

- SPORT SHOE FILTERS



### SHAKE

- CUPS



### BEATLE

- LED SAFETY LIGHTS



### SPARKLE

- REFLECTIVE VEST

Women's safety fashion vest  
Size range: XS, S, M, L, XL



## BIDON T - SPORT BOTTLE

capacity: 1 l / 0,7l / 0,5l  
colours 1 l: Antracit  
colours 0,7 l: Green, Orange  
colours 0,5 l: Turquoise, Raspberry



0,5 L TURQUOISE



0,5 L RASPBERRY



0,5 L GREEN



0,5 L ORANGE



1L ANTRACIT





# ACCESSORIES FOR RENTAL

## BOW-4 - Dryer for 4 pairs of skates

**Operating temperature:** 40°C  
**Voltage:** 230V/50Hz  
**Material:** stainless steel

**Power consumption:** 45W  
**Certificate:** CE  
**Use:** timer (on/off, automatic off 2 hours, 4 hours)

## BOW-16 MOBILE / STABLE - Dryer for 4x4 pairs (16 pairs) of skates

**Operating temperature:** 40°C  
**Voltage:** 230V/50Hz  
**Material:** stainless steel

**Power consumption:** 4x 45W, max: 180W  
**Certificate:** CE  
**Use:** timer (on/off, automatic off 2 hours, 4 hours)

Each dryer or 4 pairs can be controlled separately.



**TEMPLISH**



# SPARE PARTS

series **20**

MAXIMUM WHEEL SIZE 110MM

SERIES

RADIA

## CATCH - WHEELS

set 4 pcs

- 82A 64x24 mm
- 82A 70x24 mm
- 82A 72x24 mm
- 82A 76x24 mm
- 82A 80x24 mm



## RADICAL - WHEELS

set 4 pcs

- 85A 70x24 mm
- 84A 72x24 mm
- 84A 76x24 mm
- 84A 80x24 mm
- 84A 82x24 mm
- 84A 84x24 mm
- 85A 90x24 mm



## RADICAL COLOR - WHEELS

set 4 pcs

Colors can change according actual offer in B2B

- 85A 76x24 mm
- 85A 84x24 mm
- 85A 80x24 mm
- 85A 90x24 mm



## TW - WHEELS

set 6 pcs

- 88A 125x24 mm
- 90A 125x24 mm



## TW - WHEELS

set 8 pcs

set 8 pcs

set 8 pcs

- 85A 110x24 mm
- 88A 110x24 mm
- 90A 110x24 mm
- 85A 100x24 mm
- 88A 100x24 mm
- 90A 100x24 mm
- 85A 90x24 mm
- 88A 90x24 mm
- 90A 90x24 mm



## DTW - WHEELS

set 6 pcs

set 8 pcs

- 90A 125x24 mm
- 88A 125x24 mm
- 90A 110x24 mm
- 88A 110x24 mm



## SPRING - WHEELS

set 4 pcs

85A 72x24 mm  
85A 76x24 mm  
85A 80x24 mm



## FLASHING WHEELS

set 2 pcs

85A 64x24mm  
85A 76x24mm  
85A 80x24mm  
85A 84x24mm  
85A 90x24mm  
85A 100x24mm  
85A 110x24mm

colour:  
MULTI  
RED  
BLUE  
WHITE



## AGGRESSIVE - WHEELS


PU - with casting high rebound

set 4 pcs

90A 57x24mm



Flashing wheels for fun and safe ride at dusk and in poor visibility conditions



set 4 pcs

65D 44x24mm



**CARBON**  
BEARINGS

ABEC 5 set 8 pcs



**CHROME TOP SPEED**  
BEARINGS

ABEC 7 / ABEC 9 set 8 pcs



**TWINCAM**  
BEARINGS

ILQ 7 TWINCAM CLASSIC  
set 8 pcs

ILQ 9 TWINCAM PRO  
set 8 pcs



**TEMPISH CERAMIC**  
BEARINGS

FINISH  $ZrO_2$   
set 16 pcs



FINISH  $Si_3N_4$   
set 16 pcs



**CHROME TOP SPEED**  
BEARINGS

HI-SPEED TRT 11  
set 16 pcs



**BEARING CLEANER**



## STOPPER QUAD SKATE

1. STOPPER QUAD SKATE PU
2. STOPPER QUAD SKATE ASYMETRIC RUBBER
3. STOPPER QUAD SKATES ADJUSTABLE MID RUBBER



## CUSHION for QUAD SKATES

78A	COLOR LIGHT YELLOW	8 PCS
82A	COLOR LIGHT PINK	8 PCS
85A	COLOR WHITE	8 PCS
87A	COLOR LIGHT BLUE	8 PCS
90A	COLOR LIGHT VIOLET	8 PCS
95A	COLOR RED	8 PCS



## SOCKET HEAD KEY



## OIL for bearings



## SET FOR CRONOS BEAST



## BRAKE UNIVERSAL

FOR CHASSIS WITH MAXIMAL WHEELS SIZE 72-80 mm



## BRAKE S UNIVERSAL

FOR CHASSIS WITH MAXIMAL WHEELS SIZE 80-100 mm



## BRAKE UNIVERSAL 80-100

FOR CHASSIS WITH MAXIMAL WHEELS SIZE 80-100 mm



1. BRAKES
2. BRAKE WITH HOLDER
3. LACES
4. SLIDE PLATE
5. SPACERS FOR SCREWS 6 mm, set 8 pcs
6. WHEEL SCREW 6mm, 8mm
7. MUTUAL BUCKLE
8. MAGNETIC SPACER
9. BUTTON SET 4 PCS





## LEVEL OF OPTIMAL SPORT LOADING:



### 1. BASIC RECREATIONAL USE

Thus marked product is intended for occasional recreational and sporting purposes. It is especially suitable for beginning athletes and children who have the opportunity to become familiar with the basics of the sport. The design and materials of the product can withstand only low and short-term load. Not suitable for higher sports load.



### 2. RECREATIONAL SPORT USE

Products are intended for recreational sports. The product is suitable for recreational athletes who can handle the basics of the sport. Product and materials tolerate light, regular load. The product is not intended for a high sports load.



### 3. AMATEUR SPORT USE

Mid-range products are very popular with active recreational users. Products marked this way are suitable for regular sport use, tolerate medium load and are usually equipped with basic safety and comfort features. Design and materials are adapted to medium load and more frequent use of these products. For beginning athletes provide very comfortable feeling during sports. These products offer possibility to use products according their needs for intermediate users.



### 4. PERFORMANCE SPORT USE

Products are intended for performance athletes and regular sport load. Materials, technology and design of these products can withstand high regular load. For these products are used various functional materials and structures which support the efficiency, comfort and safety of users. These marked products are designed for performance athletes, or for advanced athletes who use the product in more demanding conditions and burden them more regularly.



### 5. LOAD PERFORMANCE SPORT USE, PROFESSIONAL SPORT

Products in this category can be used in the performance and professional sports. They are equipped with the latest features in the field of comfort, safety, support of the performance and use of energy during sports activity. They are equipped with modern materials which affect the function of product and actively influence its features. Products marked with this level can withstand extreme sport load and enable to user to achieve high athletic performance and ensure high comfort and safety.



## CZECH REPUBLIC

TEMPISH s. r. o.

Sídlo firmy a centrální distribuční sklad  
Olomouc - Czech Republic

company domicile and central  
distribution warehouse

bratři Wolfů 495/16, 77900 Olomouc, ČR

tel./fax: +420-585 313 377,  
tel./fax: +420-585 311 407,

e-mail: prodej@tempish.cz  
www.tempish.cz

## SLOVAKIA

TEMPISH Slovakia s. r. o.

Veľkomoravská ulica 9 / 2866, Trenčín, SK

tel.: +421/32/744 6768  
tel.: +421/32/744 6767  
mobil: +421/905 623 768  
e-mail: tempish@tempish.sk

www.tempish.sk

## POLAND

TEMPISH Polska Sp. Z o.o.

ul. Wyzwolenia 189  
41-710 Ruda Slaska, POLSKA

Tel/fax:+48 (32) 727 51 00  
e-mail: info@tempish.pl

www.tempish.pl

## GERMANY, AUSTRIA

SCHANNER  
Eishockeyartikel GmbH + Co.KG

Hufschmiedstraße 5  
87629 Füssen

Tel.: +49 (0)8362 9109 0  
E-mail: info@schanner.de

schanner.de

## UKRAINE

SPORTTOP LTD., Diweave group

Petropavlovskaya Borshchagovka,  
Petropavlovskaya str., 6. TC „4Room“, of.8  
08130, Ukraine, Kiev

Phone/fax: +380445958575  
Phone: +380443622161  
e-mail: info@sporttop.com.ua

## BELARUS

PRIVAT ENTERPRISE  
BIKECITY

222310 Molodechno,  
Velikoseliskaya St. 267m,  
Republic of Belarus

e-mail: info@bikecity.by

## TURKEY

CADDECARSI TEK.KONF.DAY.TUK.MAL.PAZ.  
SAN.TIC.LTD.STI.

Ali Nihat Tarlan Caddesi 15/2 Bostancı  
Istanbul

Tel.: 0090216.372 80 61  
E-mail: info@caddecarsi.com

www.caddecarsi.com

## CHILE

VARGAS EVANS LIMITADA

Av. Pedro de Valdivia 2715  
Local 49 A  
Nunoa Santiago

Tel.: 56-2-2256889  
e-mail: info@rollervar.cl

## MOLDOVA

S.R.L. „Hank“

str. Tighina 39, of.6  
Chisinau, 2001

e-mail: valerii\_babolat@mail.ru  
Tel.: +373 79461615

## NETHERLANDS, BELGIUM

SPORTIMEX BENELUX B.V.  
BRANDESEWEG 1A

4871CH Etten-Leur  
The Netherlands

T.: +31(0)76.5037444  
F.: +31(0)76.5033198  
info@sportimex.com

www.sportimex.com

## SLOVENIA, CROATIA, SEBRIA

B2MS

zastopanje in svetovanje doo

Kvedrova ulica 28, 6000 Koper, Slovenia

Tel.: +38641781322  
Email: b2ms@t-2.net

## LATVIA

ELKOR TRADE

Brivibas gatve 201 str.  
Riga, LV-1039, Latvija

tel.: +371 67070530  
e-mail: info@elkor.lv

www.elkor.lv

## BULGARIA

EXTREME SPORT Ltd.

Bul.“Kn.AL.Dondukov“42B  
Sofia, 1000

e-mail: office@extreme-bg.com  
+359 2 9866841

## PERÚ

G-SPORTS S.A.C

Juan Santos 188, urb. El Rosal  
Lima 33, Perú

Tel. 5117936618  
E-mail:  
sebastianaldos@mundoroller.com

## LITHUANIA

TERRASPORT UAB

Verkiu g. 29  
LT-09108 Vilnius

Tel.: +370 611 17176  
info@terrasport.lt

www.TERRASPORT.lt

## ITALY

BETULA GMBH  
PUNTOHOCKEY

Arnariastraße - Via Arnaria 939046  
St. Ulrich (BZ) – Ortisei (BZ)  
Italy


Tel.: +39 0471 797 618  
Email: info@puntohockey.com  
www.puntohockey.com

## NORDIC COUNTRIES

CENTRANO APS

Omega 6, Søften  
DK-8382, Hinnerup  
Telephone: +45 70 44 49 99  
Email: purchase@centrano.com

www.centrano.com





**SPACE FOR YOUR NOTES.**

***TEMPLISH***

SKATES / ACCESSORIES

# ROLLERSKATES

COLLECTION 2020



*Thank you!*

**TEMPISH**