


INDEX

Pumps	0
Bottles & Cages	2
Triathlon & Saddle Rail Mounts	2
Carriers	2
Multi-tools	3
Tool Boxes	3
Chain Tools	4
Workshop Tools	4







Push & Twist (Presta / Schrader)

- Intuitive, instant and secure.
- No damage to the valve core.
- No blow-offs under high pressure.
- Pressure bleed button (CAD) for ultimate accuracy.

Compatible with both Presta and Schrader under the same simple steps.







Presta / Schrader

Patented Technology

United Kingdom | 2497163 United States | US 9511636 B2 / US 9249914 B2 Germany | 102014106141 Taiwan | 1498479 / 1489047 China | 1682615 / 2235061



Maha Push & Twist II

BM17-PT-2-S == Silver

Capacity | 220 psi / 15 bar Head Push & Twist (Presta / Schrader)

Handle CNC machined aluminium Barrel | CNC machined aluminium

Base | CNC machined aluminium



Grand Maha Push & Twist III

BM17-PT-3-GA-GRAND - Gunmetal

Capacity	220 psi / 15 bar
Head	Push & Twist (Presta / Schrade
Handle	Varnished wood
Barrel	CNC machined aluminium
Base	CNC machined aluminium
Height	744mm



Maha Push & Twist IV


BM17-PT-4-GA = Gunmetal

Capacity | 220 psi / 15 bar Head Push & Twist (Presta / Schrader) Handle Varnished wood Barrel CNC machined aluminium Base High polymer



Flick-It (Presta / Schrader)

- Compatible with Presta and Schrader with no switching required.
- A narrow and compact design for easy use even on smaller wheels.
- Innovative tightening structure allows for swift lever operation, while promoting secure engagement and quick disengagement.





Maha Flick-It V

BM17-FI-5-220-S = Silver BM17-FI-5-220-G = Green

Capacity | 220 psi / 15 bar

Head Flick-It (Presta / Schrader) Handle High polymer

Barrel CNC machined aluminium

Base High polymer

Floor Pumps - High Volume



Maha Push & Twist V


BM17-PT-5-K Black

Head Push & Twist (Presta / Schrader)

Capacity | 220 psi / 15 bar

Handle High polymer Barrel CNC machined aluminium

Base High polymer



Grand Maha Push & Twist V

BM17-PT-5-GA-GRAND = Gunmetal

Capacity | 220 psi / 15 bar Head Push & Twist (Presta / Schrader) Handle High polymer Barrel | CNC machined aluminium Base High polymer Height 757mm



Maha Push & Twist Fatty

BM17-PT-F-MTB = Gunmetal

Capacity | 25 psi / 1.7 bar Head Push & Twist (Presta / Schrader) Handle Varnished wood

Barrel CNC machined aluminium Base | CNC machined aluminium



Maha Push & Twist MTB

BM17-PT-MTB = Silver

Capacity | 120 psi / 8.3 bar Head Push & Twist (Presta / Schrader) Handle Varnished wood Barrel | CNC machined aluminium Base | CNC machined aluminium

Maha Push & Twist MTB II

BM17-PT-MTB2 Black

Capacity | 120 psi / 8.3 bar Head Push & Twist (Presta / Schrader) Handle High polymer Barrel CNC machined aluminium

Base High polymer

Tubeless Inflator




Pump Up (Tubeless Inflator)

BM17-PUMP-UP

Capacity | 220 psi / 15 bar (Max) Head Threaded (Presta / Schrader) Barrel | CNC machined aluminium / High polymer

Volume 1.2L



- Stores 1.2L of air up to 220psi.
 Compatible with all existing floor pumps.
 Threaded valve head for use with both Presta and Schrader.
- Rotational switch on head to control for immediate air release.
- Sleek cylindrical shape of great portability.

Mini Floor Pumps



Tiny Tanker Push & Twist

BM11-1-11	-5
Capacity	220 psi / 15 bar
Head	Push & Twist (Presta / Schrader)
Handle	CNC machined aluminium
Barrel	CNC machined aluminium
Base	CNC machined aluminium
Size	51 x 6 x 19cm



Horizons-Apogee

BM16-ZC-H	Z-S
Capacity	120 psi / 8.3 bar (with gauge)
Head	Snap-It Apogee (Presta / Schrader)
Handle	CNC machined aluminium
Barrel	CNC machined aluminium
Base	High polymer / Stainless steel
Size	30 x 4.2 x 2.5cm
Weight	230g



Horizons-Apogee Lite

BM17-ZC-HZ-S-LITE

Capacity	120 psi / 8.3 bar
Head	Snap-It Apogee (Presta / Schrader)
Handle	CNC machined aluminium
Barrel	CNC machined aluminium
Base	High polymer / Stainless steel
Size	30 x 4.2 x 2.5cm
Weight	178g

A burst of air, like a rush of blood to the head.



Go head-to-head with punctures.

Sturdy
Packs a punch
For that just-get-me-home moment



Hand Pumps - MTB







Sheath-Apogee

BM15-ZC-SHEATH = Silver

Capacity	160 psi / 11 bar
Head	Snap-It Apogee (Presta / Schrader)
	Compatible with CO2 cartridges
Barrel	CNC machined aluminium
Size	19.5 x 4.2 x 2.6cm
Weight	120g
Includes	2 x 16g cartridges & 1 x neoprene gri
Patent	Taiwan M-448568

Infinite Road (threaded) with CO2

BM17-ZC-MN03-S = Silver

apacity	160 psi / 11 bar
Head	Threaded valve adapter (Presta / Schrader)
Barrel	CNC machined aluminium
Size	25.5 x Ø2.5cm
Weight	147g
cludes	2 x 16g cartridges & 1 x neoprene grip
Patent	Taiwan M-450624

Infinite Road (threaded)

BM17-ZC-MN02-S = Silver

Capacity	160 psi / 11 bar
Head	Threaded (Presta / Schrader)
Barrel	CNC machined aluminium
Size	25.5 x Ø2.5cm
Weight	140g



Velocity Road (threaded)

BM17-ZC-MN01-S = Silver BM17-ZC-MN01-BK = Black

Capacity	160 psi / 11 bar
Head	Threaded
	(Presta / Schrader)
Barrel	CNC machined aluminium
Size	19.3 x Ø2.8cm
Weight	105g



Swift

BM14-SWIFT = Silver

Capacity	120 psi / 8.3 bar
Head	Threaded
	(Presta / Schrader)
Barrel	CNC machined aluminium
Size	19.5 x Ø2.6cm
Weight	86g



Scope-Apogee

BM15-ZC-SCOPE == Silver

BM 15-ZC-St	JOPE Silver
Capacity	120 psi / 8.3 bar
Head	Snap-It Apogee
	(Presta / Schrader)
Barrel	CNC machined aluminium
Size	22 x 4 x 2.6cm
Weight	100g



Mini-Apogee

BM14-ZC-MINI Gunmetal

DIVITY ZO W	iivi — odiiinetai
Capacity	120 psi / 8.3 bar
Head	Snap-It Apogee
	(Presta / Schrader)
Barrel	CNC machined aluminium
Size	13.6 x 2.3 x 3.8cm
Weight	75g



Infinite MTB (threaded) with CO2

BM17-ZC-MN03-GA254 = Gunmetal

Capacity	90 psi / 6.2 bar
Head	Threaded (Presta / Schrader)
Barrel	CNC machined aluminium
Size	25.5 x Ø3.2cm
Weight	175g
Includes	2 x 16g cartridges & 1 x neoprene g
Patent	Taiwan M-448568



Infinite MTB (threaded)

BM17-ZC-MN02-GA254 Gunmetal

Capacity	90 psi / 6.2 bar
Head	Threaded (Presta / Schrade
Barrel	CNC machined aluminium
Size	25.5 x Ø3.2cm
Weight	170g



Velocity-Apogee MG

BM14-ZC-MN04-GA234 = Gunmetal

Capacity	90 psi / 6.2 bar (with gauge)
Head	Snap-It Apogee (Presta / Schrader)
Barrel	CNC machined aluminium
Size	22.3 x Ø3.1cm
Weight	146g
Patent	Taiwan M-450624



Velocity MTB (threaded)

BM17-ZC-MN01-S234	= Silver
BM17-ZC-MN01-BK234	■ Black

Capacity	90 psi / 6.2 bar
Head	Snap-It Apogee (Presta / Schrader)
Barrel	CNC machined aluminium
Size	18.3 x Ø3.1cm
Weight	124g


Activate Valve Function (Presta / Schrader)

Releases CO2 with a simple press down on the head.

Allows for accurate controlled inflation

Compatible with threaded CO2 cartridges

Patented Technology





Roar Canister 16g

BM14-ZC-C016-GA Gunmetal BM14-ZC-C016-RD Red

Material | CNC machined aluminium (valve head & canister) 5 x 11.4 x 2.9cm Size

Weight

Includes 1 x 16g cartridge



Roar 16g Set

Material | CNC machined aluminium (valve head) PU (grip) Size 4.4 x 3 x 1.6cm (valve head)

Weight 22g (valve head) Includes 3 x 16g cartridges



E-Grip 16g Set

BM13-PO-AZC02-SET

Material | CNC machined aluminium (valve head) Silicone (grip) 4.2 x 2.3 x 1.4cm (valve head) Weight 15g (valve head) Includes 1 x 16g cartridge

Roar Canister 25g

BM14-ZC-CO25-GA Gunmetal

Material | CNC machined aluminium (valve head & canister) 5.1 x 13.3 x 3.2cm Weight 67g

Includes 1 x 25g cartridge

Roar 25g Set

BM12-PO-CO202-K - Black

Material | CNC machined aluminium (valve head) Neoprene (grip)

4.4 x 3 x 1.6cm (valve head) Size Weight 22g (valve head)

Includes 3 x 25g cartridges

E-Grip 25g Set

BM13-PO-AZC02-SET25

Material | CNC machined aluminium (valve head) Neoprene (grip)

4.2 x 2.3 x 1.4cm (valve head) Weight 15g (valve head)

Includes 1 x 25g cartridge

Uncage Repair Kit


BM17-UNCAGE-RP-KIT

Functions

Attaches onto down/seat tubes or as an add-on to the Uncage Side Draw bottle cage.
 Includes a supplementary Velcro strap to carry additional inner tube and tire levers.

Weight

Includes 1 x E-Grip valve head, 2 x 16g cartridges, 1 x Velcro strap



Turn Pierce Function (Presta / Schrader)


- Controls for accurate inflation with build-in valve.

Turn cartridge counter-clockwise to open the valve and release CO2; clockwise to close the valve.

Compatible with threaded CO2 cartridges.

Patented Technology





Roar Control 16g

BM15-PO-RC16

CNC machined aluminium (valve head) Material Neoprene (grip)

4.2 x 2.3 x 1.4cm (valve head) Weight 15g (valve head) Includes 3 x 16g cartridges

> Immediate satisfaction. Instant gratification.

CO2 Cartridges (threaded)



16g x 3 PCS | BM09-ZC-C02-3PCS 16g x 50 PCS BM11-ZC-CO2-50PCS 25g x 3 PCS BM12-PO-CO202-3PCS 25g x 35 PCS BM12-PO-CO202-35PCS




Air-Lock

Designed to prevent air-loss when unscrewing from Schrader valves on the shock.

Patented Technology Taiwan I-493105







Zama

BM13-TR-ZCSP02-SZM

Capacity	300 psi / 20.7 bar
Head	Air-Lock valve
Handle	CNC machined aluminium
Size	20 x 2 x 2cm

Macht

BM13-TR-ZCSP03-SMC

Capacity	300 psi / 20.7 bar
Gauge	1" gauge with pressure release butt
Head	Air-Lock valve
Barrel	CNC machined aluminium
Size	24 x 2 5 x 3cm



Pressure release button.

Salut

BM17-SALUT

apacity	400 psi / 27.6 bar
Gauge	1.6" gauge with pressure release button
Head	Air-Lock valve
Barrel	CNC machined aluminium
Size	23 x 3.6 x 4.8cm



Pressure release button.



Top priority.

Essential Fundamental Crucial



Uncage Carbon R (right hand use)

BM18-UNCAGE-CBC-R

Material | 100% carbon fiber

Weight 22g



Uncage Carbon L (left hand use)

BM18-UNCAGE-CBC-L

Material | 100% carbon fiber

Weight 22g



Bottle Cage

BM10-PO-NBC-01-W White BM10-PO-NBC-01-K Black

Material | High polymer Weight Includes

25g

3 interchangeable silicone pieces:



Uncage Side Draw Bottle Cage

BM17-UNCAGE-SIDE

Material | High polymer

Weight 62g



Symmetrical design allows for assembly according to handedness.



Uncage Side Draw Bottle Cage Combo Kit


BM17-UNCAGE-SIDE

Material | High polymer Weight 220g

Includes

1 x Uncage Side Draw Bottle Cage 1 x Uncage Repair Kit (1 x E-Grip valve head, 2 x 16g

cartridges, 1 x Velcro strap)






Uncage Bottle Cage

BM17-UNCAGE

Material | High polymer

Weight 38g

Includes 1 x Velcro strap




Cageless Design

- Patented cleat-to-clip locking mechanism facilitates bottle accessibility and retention during rides.
- Flexible orientation of the clip brackets according to handedness.
- Compact cageless design preserves silhouette of the frame.

Patented Technology









BottleCleat

BM17-BOTTLE-CLEAT-W □ White BM17-BOTTLE-CLEAT-K ■ Black

Material | Body : FDA-approved food grade LDPE | Spout : BPA-free TPR | Cap : HDPR

Volume 650ml / 21oz

Temperature tolerance

-30°C ~ 60°C / -22°F ~ 140°F

109g (incl.clip) Weight

Size 19 x 9.2 x 7.6cm (incl.clip)



Water Bottle

BM10-PO-WB-01-W/K

Material | LDPE (toxic-free & odourless) 600ml / 20oz

Temperature tolerance

-10°C ~ 70°C / 14°F ~ 158°F



Water Bottle II

BM10-PO-WB02-K

Material | LDPE (toxic-free & odourless) 600ml / 20oz

Temperature tolerance -10°C ~ 70°C / 14°F ~ 158°F



Water Bottle III

BM17-PO-WB-K

Material | LDPE (toxic-free & odourless) Volume 650ml / 21oz

Temperature

-10°C ~ 70°C / 14°F ~ 158°F



One bottle or two, that is the question.


Glutes, Quadriceps, Hamstrings, Flexors, Calves Hydration and calories Commitment and dedication

Rear Hydration System


- Modular structure with multiple mounting holes allows for different attachment possibilities and orientations
- The arms mount onto the saddle rail at two adjustable angles to fit saddles of different shapes.
- Streamlined aerodynamic framework minimises air resistance by hiding behind the rider's shadow.
- Constructed from 6061 aluminium with a maximum load of 2.5kg and a total weight of only 105g including hardware.



Optional **Uncage Repair Kit** attachment at rear end. (BM17-UNCAGE-RP-KIT)



Carries two bottle cages on the sides at three angles when extended, plus additional accessories if needed.



Alternatively, bracket can be stowed to carry a single bottle cage at the rear end at two angles.



Aeroman

BM17-AEROMAN

Material | Size 170 x 72 x 68mm Weight 105g (including hardware)

Includes 9mm carbon rail mounts



Belly Tri

BM18-BAG-TTB-TRI

- Attaches via three bolts or Velcro. Detachable slab with bar-tacked elasticated strap for
- energy bar storage. Tough rubber bottom prevents scratches or
- abrasions to the top tube.

Material

300D Polyester (water repellent) with reflective details

25 x 8.5 x 4cm Size

Saddle Rail Mounts

- Modular saddle rail mounting system, compatible with GoPro on its own, or with additional accessories through extension mounts.
- The system allows the user to easily switch between different items and also move items between different bikes.



NEW

Saddle Rail Mount + Bottle Mount

The bottle mount adds one set of bottle cage holes to the base structure, providing space for items such as Bottle Cage, Repair Kit or others that share the same 64mm spacing.
 Adjustable angle for the most comfortable reach.

High Polymer, CNC machined aluminium Material

Size 80 x 12 x 19mm



Saddle Rail Mount + Bag Mount and Saddle Bag

Functions

- Saddle bag with wide side-opening.
- Features a quick-release bag mount for fast and easy installation and removal.

High polymer, EVA foam, PU Material

Size 15 x 8 x 6cm

Capacity 0.5L





Never forget your essentials again Extra visibility



Saddle Bags



Elements I

BM16-PO-SB-EL1

Functions	Saddle bag IPX5 Quick Assembly Brackets Interfolding design Compatible with 7mm saddle rails
Material	ECO fabric (waterproof) with reflective logo
Size	9.5 x 7 x 4cm
Capacity	0.25L
Patent	Taiwan M-458357



Elements II

BM16-PO-SB-	EL2
Functions	Saddle bag IPX5 Quick Assembly Brackets Interfolding design Compatible with 7mm saddle rails
Material	ECO fabric (waterproof) with reflective logo
Size	11.5 x 9 x 5cm
Capacity	0.4L
Patent	Taiwan M-458357



Elements III

DM17 DO CD ELS

Functions	Saddle bag IPX5 Quick Assembly Brackets Interfolding design Compatible with 7mm saddle rail
Material	ECO fabric (waterproof) with reflective logo
Size	16 x 10.5 x 6cm
Capacity	0.8L
Patent	Taiwan M-458357



Functions | Top tube bag with rain cover Material 300D Polyester Size 13 x 6 x 4.5cm

Belly S

BM13-PO-TTB03-GABS

Others

Tool Bag

BM12-ATB04-K

Top Tube Bags



Functions | Top tube bag with rain cover Material 300D Polyester Size 18 x 8 x 4.5cm



Belly R BM14-BAG-TTB1

Functions | Rain resistant top tube bag Material 420D & 840D nylon (waterproof) Size 16.5 x 10 x 4cm

Functions | Top tube bag Touch screen window (L15 x W8cm) Material | 300D Polyester (water repellent)

Zyklop Navigator III

BM13-PO-TTB02-KNG

Size 17 x 9 x 8cm



Roadster I

BM13-PO-SB06-RD1

Functions	Saddle bag Light attachment loop
Material	300D Polyester (water repellent) with reflective straps
Size	13 x 7 x 4cm
Capacity	0.3L



Roadster II

BM13-PO-SB06-RD2

Functions	Saddle bag Light attachment loop	
Material	300D Polyester (water repellent with reflective straps	
Size	15 x 8 x 5cm	
Capacity	0.4L	



BM13-PO-SB05-GAMS

Functions	Saddle bag Light attachment loop Quick Assembly Brackets Compatible with 7mm saddle rail
Material	300D Polyester (water repellent) with reflective straps
Size	16 x 8 x 8cm
Capacity	0.5L
Patent	Taiwan M-458357



Material	600D Polyester	Materia
	(water repellent)	Size
Size	36 x 27 x 4cm	Conneit



ial | High polymer ze 195 x Ø75mm Capacity 750ml



Feexcase BM18-TB-FEEXCASE

Material | EVA foam, PU Size 200 x Ø72mm Capacity 700ml



Feexroll

BM18-SB-FEEXROLL

unctions	- Roll-up storage bag.
unctions	- Fits under the saddle ra
	or in jersey nockets

Material 250D fabric (waterproof) with reflective logo 300D Polyester (water repellent)

Size 27 x 27cm



Zyklop Nip BM10-PO-SB-01-K

Functions | Saddle bag | Light attachment loop Material 600D Polyester (water repellent) Size 16.5 x 5 x 6.5cm

Capacity 0.3L

Zyklop Gike

BM10-PO-SB-02-K

Functions | Saddle bag Light attachment loop Material 300D Polyester (water repellent) Size 16.5 x 8 x 8cm Capacity 0.5L



BM17-STRAP

- Features a self-engaging Velcro side and an anti-slip finish on the other side.

Fixes inner tubes, CO2 cartridges, tire levers and mini pumps onto the frame. Material Nylon / TPE

Size 3 x 40 cm / 11/4 x16"

Anti-Slip Bundle Strap



NEW

Anti-Slip Bundle Strap

with Snap-Fastener

BM19-STRAP-SF

Functions - A self-engaging Velcro strap with anti-slip finish on the other side.

- Fixes inner tubes plus tire lever and/or spare parts under the saddle. - Snap-fastener secures the strap on saddle rail to facilitate item loading

Material Nylon / TPE

Size 3 x 40 cm / 11/4 x16"

Snap-fastener



FeexPouch


BM16-SB-FP

Functions - Designed to fit in the jersey back pocket when riding, or to be assembled under the saddle with the Velcro. - IPX 4

420D / 840D nylon Material

(waterproof) Size 12 x 6.5 x 3.5cm

Capacity 0.3L







Packman Handlebar Pack

BM18-BAG-HP-PKM

- Three-point attachment reinforces overall stability.

- EVA foam pads offer protection against abrasion and ensure compatibility

with different handlebar types.

Roll-top IPX5 waterproof carrier allows for flexible capacity adjustments.

- Two additional straps for further attachment possibilities.

Material 420D / 600D high density fabric (water repellent and abrasion resistant)

250D ECO fabric (waterproof) Size 50 x Ø24cm

Capacity 9.5L (waterproof carrier)



NEW

Packman Saddle Pack with Waterproof Carrier

Functions

Adjustable side fastening straps.
 Roll-top IPX5 waterproof carrier provides improved rain/mud protection and allows for flexible capacity adjustments.
 Features a saddle rail rack to increase stability and minimise rattle.

Material

420D / 600D high density fabric (water repellent and abrasion resistant) 250D ECO fabric (waterproof)

Size 50 x Ø24cm

Capacity 9.5L (waterproof carrier)



Packman Travel Saddle Pack

BM17-BAG-SB-PKM

- Adjustable side fastening straps. Functions

- Elastic upper cords for additional storage capacity.

Two extra straps for further attachment possibilities.

420D / 600D high density fabric (water repellent and abrasion resistant) Material

50 x 18 x 16cm Size

Capacity 6L



Packman Travel Bottle Pack

BM17-BAG-BO-PKM

Material


Compatible with bottles up to 750ml in volume, Functions

or 9cm in diameter and 25cm in height.

Bar-tacked strap offers multiple Velcro position adjustments.

210D / 600D high density fabric (water repellent and abrasion resistant)

Ø9.5 x 15cm (collapsed) / 20cm (extended)





Packman Travel Top Tube Pack

BM17-BAG-TTB-PKM

Functions - Straightforward Velcro fastening onto top tube

Zipped-up interior compartment, 3 external pockets.

Material 420D / 600D high density fabric (water repellent and abrasion resistant)

Size 26 x 10 x 16cm

Capacity 0.8L



Packman Travel Frame Pack - Planet

BM17-BAG-FR-PL

- Straightforward Velcro fastenings onto frames of different sizes. Functions

Two extra straps for further attachment possibilities.

Material 420D / 600D high density fabric (water repellent and abrasion resistant)

Size 38 x 12 x 5cm

Capacity 3L





Packman Travel Frame Pack - Satellite

BM17-BAG-FR-SA


- Straightforward Velcro fastenings onto frames of different sizes. Functions


One extra strap for further attachment possibilities.

420D / 600D high density fabric (water repellent and abrasion resistant) Material

Size 25 x 28 x 5cm

Capacity 2.5L






Modular design

Combination possibilities according to requirement:

Install individually or together for a total storage capacity of 5.5L.



Forged then CNC'd chrome vanadium Central pivot, individually drilled keys, pleasingly smooth action Fits in your hand, folds into a small package, or a dog #mrfeexman

33









BM09-P0-AFM-04-S = Silver BM09-P0-AFM-04-K = Black

Functions | Hex keys 4/5/6mm Torx key T25 Crosshead screwdriver #1

Body : Aluminium Material Tools: CrV

Size 69 x 29 x 10mm Weight 58g

E-Version 10

NEW

BM19-PO-AFM-10-S = Silver BM19-PO-AFM-10-K = Black

Functions | Hex keys 2.5/3/4/5/6(L-shaped)/8mm Torx key T25

Crosshead screwdriver #1 Flathead screwdriver 4.5 Chain rivet extractor (8-12 speed, 3/32* single speed)

Body : Aluminium Material Tools : CrV

Chain Tool: Alloy Steel 68.5 x 50 x 14 mm Weight

E-Version 15

BM09-PO-AFM-05-S Silver BM09-PO-AFM-05-K Black

Functions Hex keys 2/2.5/3/4/5/6/8mm

Torx key T25

Crosshead screwdriver #1 Flathead screwdriver 4.5 Chain rivet extractor (9-12 speed) Spoke wrenches 3.2/4.3/4.4/Mavic®

Body : Aluminium Material Tools : CrV

Chain Tool: Alloy Steel 69 x 50 x 16mm

Weight 128g







E-Version 20

BM09-PO-AFM-09-S Silver BM09-PO-AFM-09-K Black

Hex keys 2/2.5/3/4/5/6/8mm

Crosshead screwdriver #1 Flathead screwdriver 4.5 Chain rivet extractor (9-12 speed) Spoke wrenches 3.2/3.4/4.3/4.4/Mavic® Tire lever Disc adjuster Knife Can opener Material

Body : Aluminium Tools : CrV Chain Tool : Alloy Steel 73 x 57 x 16mm

Weight 165g

Stainless S10

BM19-FM-S10-SK Black

Hex keys 2.5/3/4/5/6(L-shaped)/8mm Functions | Hex keys 2/2.5/3/4/5/6/8mm Torx key T25 Torx key T25 Crosshead screwdriver #1 Crosshead screwdriver #1 Flathead screwdriver 4.5 Chain rivet extractor (8-12 speed, Flathead screwdriver 4.5 Chain rivet extractor (9-12 speed)

3/32" single speed) Body : Stainless Steel Tools : CrV Material Chain Tool : Alloy steel

68.5 x 50 x 14 mm Weight 147g

Material

NEW

Stainless S12

BM18-FM-S12-SK Black

Body : Stainless Steel Tools : CrV Chain Tool: Aluminium 70 x 47 x 20mm Weight 158g

Tire lever

Cicada C10

BM11-PO-FM16-C10

Functions | Hex keys 2/2.5/3/4/5/6/8mm

Torx key T25

Crosshead screwdriver #1 Flathead screwdriver 4.5 Chain rivet extractor (9-12 speed)

Tire lever

Material Body : Carbon

Tools : CrV Chain Tool : Aluminium Size 70 x 47 x 20mm

Weight 110g

M-Torque 5Nm

Pocket torque wrench.

- Button clicks when force reaches the preset 5Nm indicating that

the bolt has been tightened.

- No calibration or maintenance needed.

- Rated to 10000 clicks.



M-Torque 4

BM15-MTORQUE-4 Hex keys 4/5mm (5Nm torque alert function) Torx keyT25 (interchangeable to the torque end) Flathead screwdriver 4.5

Body : Alloy Steel Material Tools : CrV

93 x 34 x 18cm Weight 90g

M-Torque 10 BM15-MTORQUE-10

Functions Hex keys 4/5mm (5Nm torque alert function) Tork key T25 (5Nm torque alert function) Hex keys 2/3/8mm/L-shaped 6mm Flathead screwdriver 4.5

Crosshead screwdriver #1 Chain rivet extractor (8-12 speed, 3/32 'single speed)

Body : Alloy Steel Tools : CrV Material Chain Tool: Alloy Steel

93 x 57 x 18mm Weight 170g

112 x 36 x 25mm Size Weight 113g

Diversity 17

BM16-FM-D17-MK

Material

Hex keys 2/2.5/3/4/5/6/8mm Torx key T25 Functions

Crosshead screwdriver #1 Flathead screwdriver 4.5

Chain rivet extractor (8-12 speed, 3/32 *single speed)

Spoke wrenches 3.2/3.4

Chain hook Tire Lever Set

CO2 valve head(Presta/Schrader)

Body : High polymer Tools : CrV

Chain tool : Alloy Steel

Size 100 x 46 x 24mm

Weight 178g





M-Torque Ranger BM16-MTORQUE-RA

Functions | Hex keys 3/4/5mm

Torx key T25 Flathead screwdriver 4.5

Material Body : High Polymer Bits : S2 tool steel Tire Lever: High Polymer



"The squad", curated by Birzman.

Tidy Compact Comprehensive



"The quality is amazing, almost to the point you feel bad using them on your bike." - VitalMTB

Tool Box





Essential Tool Box

BM17-ESSENTIAL-BOX

Functions | 13 pieces Size 400 x 240 x 80mm Weight 2.62kg

- 01 Torx Key Set T10/T25/T30 02 Hex Key Set 1.5/2/2.5/3/4/5/6mm
- 03 Hex Key 8mm
- 04 1/2" Drive
- 05 Tire Lever Set
- 06 Shimano®HG"Cassette 12-spline Ø23.4mm
- 07 Disc Brake Gap Indicator
- 08 Hollowtech II B.B. Tool 16-notch Ø44mm
- 09 Spoke Wrench 12G/13G/14G/15G /Shimano®4.3/4.4
- 10 Chain Rivet Extractor 10 and 16 single speed, 5-12 speed
- 11 Pedal Wrench 15mm
- 13 Flathead Screwdriver 5.5, Crosshead Screwdriver PH2



Travel Tool Box

BM19-TRAVEL-BOX

Functions | 20 pieces Size 460 x 280 x 80mm Weight 4.35kg

- 01 Torx® Key Set T10/T15/T20/T25/T27/T30/T40
- 02 Hex Key Set 1.5/2/2.5/3/4/5/6/8/10mm
- 03 Chain Wear Indicator 0.5% / 0.75% / 1%, single to 12 speed
- 04 Feextube Patch Kit 3 x adhesive patches, 1 x tire boot
- 05 Tire Lever Set
- 06 B.B. Socket Shimano® Cartridge 20-notch Ø31.6mm
- 07 Lockring Socket Shimano® HG 12-spline @23.4mm, Ø5mm center pin.
- 08 Lockring Socket Shimano® MF & Campagnolo® 12-spline Ø22.7mm
- 09 Universal Crank Puller ISIS® Drive, Octalink® and square tapered crank arms 10 Housing and Cable Cutter Features an integrated awl for restoring housing ends.
- 11 B.B. Socket Hollowtech II™ 16-notch Ø44mm.
- 12 Socket Wrench 16" Dr.
- 13 Crank Arm Cap Tool 8-notch Hollowtech II™ and 16mm internal hex SRAM® crank caps
- 14 Spoke Wrench 12G/13G/14G/15G/Shimano® 4.3 & 4.4
- 15 Damselfly Universal Chain Rivet Extractor 5-12 speed, 3/2 & 3/8 single speed chains
- 16 Pedal Wrench 15mm
- 17 Chain Whip 7-12 speed, equipped with a fixed-gear lockring wrench.18 Screwdriver Flathead 5.5
- 19 Screwdriver Crosshead #2
- 20 Combination Wrench 8 & 10mm







Studio Tool Box BM19-STUDIO-BOX

Functions | 37 pieces Size 470 x 370 x 130mm

Weight 8.2kg

- 01 Torx® Key Set T10/T15/T20/T25/T27/T30/T40
- 02 Hex Key Set 1.5/2/2.5/3/4/5/6/8/10mm
- 03 Chain Wear Indicator 0.5% / 0.75% / 1%, single to 12 speed
- 04 Bladed Spoke Grip 1.0-2.0mm wide bladed spokes
- 05 Tire Lever Set
- 06 B.B. Socket Shimano® Cartridge 20-notch Ø31.6mm
- 07 Lockring Socket Shimano® HG 12-spline Ø23.4mm, Ø5mm center pin. 08 Lockring Socket Shimano® MF & Campagnolo® 12-spline @22.7mm
- 09 Universal Crank Puller ISIS® Drive, Octalink® and square tapered crank arms 10 Housing and Cable Cutter Features an integrated awl for restoring housing ends.
- 11 B.B. Socket Hollowtech II™ 16-notch Ø44mm.
- 12 Socket Wrench %* Dr.
- 13 Crank Arm Cap Tool 8-notch Hollowtech II™ and 16mm internal hex SRAM® crank caps
- 14 Spoke Wrench 12G/13G/14G/15G/Shimano® 4.3 & 4.4
- 15 Damselfly Universal Chain Rivet Extractor 5-12 speed, 3/2 & 3/8 single speed chains
- 16 Pedal Wrench 15mm
- 17 Chain Whip 7-12 speed, equipped with a fixed-gear lockring wrench.18 Screwdriver Flathead 5.5
- 19 Screwdriver Crosshead #2
- 20 Combination Wrench 8 & 10mm

- 21 File
 22 Link Pliers For use to assemble or remove masterlinks.
 23 Bit Socket T30 ½* Dr.
- 24 Hex Socket 14mm 1/2" Dr.
- 25 Hex Socket 15mm 1/2" Dr.
- 26 Shifting Spanner 0-33mm
- 27 Disc Brake Piston Press
- 28 Rotor Truing Fork
- 29 Disc Brake Gap Indicator
- 30 Threadless Saw Guide For Ø1*, 11%* and 11%*, steel and carbon tubes.
 31 Valve Core Tool For Presta / Schrader valve cores and Presta valve extenders.
- 32 Threadless Nut Setting Tool For Ø1 11/4" threadless headset systems.
- 33 Diagonal Pliers 6"
- 34 Radio Pliers 6"
- 35 Chainring Nut Wrench Features 9 & 10mm hex wrenches.
- 36 Dead Blow Hammer 12"
- 37 Tape Measure 3m/10ft

From BMX to 12 speed to Campagnolo.

Hey Siri, what is the difference between a dragonfly and a damselfly? #inspiredbynature from the beginning Is it a chain tool, chain breaker, or chain rivet extractor?



Rear Rivet System

- Interchangeable cradle for use with 11/12 speed chains.
- Features a gate mechanism compatible with Campagnolo®11 speed chains ensuring precise positioning when setting replacement rivet.

Patented Technology

Dragonfly Evolution

BM09-DF-S

Material

Functions | Compatible with 9-12 speed chains. Handle: CNC machined 6061 aluminium

Body: CNC machined 6061 aluminium Pin : Special steel S2

175 x 105 x 28mm Size

Weight 285g



Smart Cradle System

Adjustable cradle system securely fits chains of different sizes, allowing the tool pin to drive out the rivet quickly and precisely.

Patented Technology

Taiwan I-435778



Damselfly Universal

BM12-PO-ACH04-K

Material

Functions | Compatible with 5-12 speed;

3/32" and 1/4 "single speed chains.

Handle: CNC machined 6061 aluminium Body: CNC machined 6061 aluminium

Pin: S2 tool steel

Size 160 x 100 x 22mm

Weight 242g



BM16-ACH06-LU

Functions | - Compatible with 5-12 speed; 3/32" and 1/8" single speed chains

Equipped with a chain hook.

Material Handle : Alloy Steel

Body: CNC machined 6061 aluminium Pin: S2 tool steel

145 x 70 x 21mm

Size Weight 215g



Feexpin

BM09-P0-ACH-01-K

Functions | - Compatible with 9-12 speed chains.

Equipped with chain hook.

4/5mm hex keys.

Handle: Alloy steel Material

Body : Alloy steel Pin : Alloy steel

Size 85 x 40 x 11mm Weight 98g





BM11-PO-DF02-S

Functions | Compatible with 9-12 speed chains

Material Handle: CNC machined 7075 aluminium

Body: CNC machined 7075 aluminium Pin : Alloy steel

100 x 55 x 10mm Size

Weight





Link Pliers

BM15-ST-LR01-K

Functions | For use when assembling or removaling masterlinks.

Material Alloy steel / High polymer

Size 6.5"

Chain Assembly Fixer

BM18-PO-ACA-01-K

Functions | Holds the chains in place during assembly.

CNC machined 6061 aluminium / Stainless steel / Material High polymer



Innovative Spring System

Innovative spring steel immediately and securely binds with the chain, holding it in place for the tool pin to drive out the rivet easily.



Functions | Compatible with 8-12 speed chains.

Handle : Alloy steel Body : Varnished wood Material

Pin : Alloy steel Size | 105 x 47 x 13mm

Weight 76g



Lighter Atom

BM16-ACH06-LA

Functions | - Compatible with 8-12 speed chains. - Equipped with a chain hook.

Handle : Alloy steel Material Body : High polymer Pin : Alloy steel

Size 108 x 49 x 13mm Weight 80g



Chain Wear Indicator

BM10-ST-CC-02

Functions | - Checks the degree of chain wear and stretch.

Material Stainless steel

Indications: 0.75% / 1.0%

NEW

Chain Wear Indicator I

Functions | - Checks the degree of chain wear and stretch. Integrated chain hooks hold chains in place during assembly or repair.

- Compatible with derailleur chains from

single to 12 speed. Indications: 0.5/ 0.75/ 1.0%

Material Stainless steel

Chain Wear Indicator II

Functions - Checks the degree of chain wear and stretch.

- Compatible with all derailleur chains. - Indications: 0.25/ 0.5/ 0.7/

0.8/ 1.0%.

Material | CNC machined 6061 aluminium



Wrench Sets



Specialist Lockring Wrench

Shimano®HG™

BM11-ST-BBW02-KSH

Compatible with Shimano® HG™ & SRAM Cassettes, Functions

Shimano Center Lock, or other similar 12-spline Ø 23.4mm lockrings.

Material CrMo / TPR



Specialist B.B. Wrench

Shimano® Cartridge

BM11-ST-BBW02-KSC

Functions | Compatible with Shimano® Cartridge or other similar 20-notch Ø31.6mm bottom brackets.

Material CrMo / TPR



Specialist Lockring Wrench

Shimano®MF™& Campagnolo®

BM11-ST-BBW02-KCC

Functions

Compatible with Shimano MF™ Freewheels, Campagnolo Cassettes, BB and Rotors, or other similar 12-spline Ø22.6mm lockrings.

Material CrMo / TPR



Specialist B.B. Wrench

Hollowtech II™

BM11-ST-BBW02-K

Functions | Compatible with Hollowtech II™ or other 16-notch Ø44mm external bearing bottom

Material CrMo / TPR



Specialist Chain Whip

BM11-ST-FWT02-K9

Functions | - Compatible with 7-12 speed chains.

- Equipped with a fixed-gear lockring wrench.

Material CrMo / TPR



Specialist 15mm Pedal Wrench

BM11-ST-PDW02-K

Functions | 15mm pedal wrench.

Material | K5 steel / TRP



Specialist Wrench Extension Bar

BM11-ST-MHE-K

Functions | Modular wrench extension bar

Material CrMo / TPR





Specialist 4PCS Wrench Set

BM11-ST-SW02-MB

Includes | Specialist B.B. Wrench Hollowtech II™ Specialist Lockring Wrench Shimano HG

Specialist Chain Whip

Specialist 15mm Pedal Wrench

Specialist Wrench Extension Bar



NEW

1/2" Ratchet Wrench Set

BM19-ST-RCW02-S8

Functions 1/2" Dr. ratchet wrench with 72-teeth.

Material

Includes

Seven sockets:

T30 Bit/15mm Hex/8mm Hex Bit/½" Extension Bar/ B.B. (Shimano® Cartridge)/Lockring (Shimano® MF™)

Lockring 5mm (Shimano® HG™)



Combination Wrench Set

BM14- CW-GT-SET

Functions

- 8/9/10/11/12/13/14/15mm. - Features a ratcheting box end with 72-teeth.

Material CrV



Torque Wrench 10-60Nm

BM18-TW-10-60NM

Functions | - 1/2" Dr.

- 10-60Nm

Material Alloy Steel

Size 14.5"



Torque Wrench 3-15Nm

BM10-ST-TW-01-K

Functions | - 1/4" Dr.

- 3-15 Nm

Includes

Seven bit sockets: 3/4/5/6/8mm hex / T25 / 90mm extension bar.

Material Alloy steel (wrench)

CrV (bits)

Size 8" (wrench)



Torque Driver 4Nm

BM16-TD-4NM

Functions | - 1/4" Dr. - 4Nm

Four bits: 3/4/5mm hex / T25 Includes

Material S2 tool steel (bits) Size 52 x 78 x 23mm (driver)



Torque Driver 5Nm

BM16-TD-5NM

Functions | -1/4" Dr.

- 5Nm

Includes Four bits: 3/4/5mm hex / T25

Material S2 tool steel (bits)

Size 80 x 65 x 23mm (driver)



Torque Driver 6Nm

BM16-TD-6NM

Functions | - 1/4" Dr.

- 6Nm


Four bits: 3/4/5mm hex / T25 Includes

Material S2 tool steel (bits)

Size 80 x 65 x 23mm (driver)

Hex & Torx Wrenches





T-Bar Set (with Wrenches)

BM11-PO-ATB03-K

Functions | -2/2.5/3/4/5/6/8/10mm & T25.

Two way ball-point hex/Torx®keys.

BM14-YGRIP-H4 BM14-YGRIP-B4

BM14-YGRIP-T10

BM14-YGRIP-H2

Material SNCMV / hight polymer (wrenches)

SPHC (stand)

Y-Grip

Functions | Features an ergonomic design for improved leverage.

CNC machined aluminium / CrV (bits)

Size 131 x 113 x 18mm

Weight 110g

Options :

4/5/6mm hex key set 4/5/6mm ball point hex key set T10/T25/T30mm Torx*key set 2/2.5/3mm hex key set



NEW

Hex Key Multitool

BM19-ST-HEX-8

Functions | - Fold-up hex key set with comfortable grip.

90° right angle design provides maximum torque. 1.5/2/2.5/3/4/5/6/8 mm

Material PP, TPR, CrV



- Features an anti-slip case. Tools drive out with easy rotation.

-1.5/2/2.5/3/4/5/6/8/10mm

Torx® Key Set BM12-ST-ATC03-K

Hex Key Set

BM12-ST-ATC02-K

Material S2 tool steel

Functions

Functions | - Features an anti-slip case. Tools drive out with easy rotation.

T10/T15/T20/T25/T27/T30/T40/

Material S2 tool steel





90° right angle design

90° right angle design

NEW

Torx® Key Multitool


BM19-ST-TORX-8

Functions | - Fold-up Torx® key set with comfortable grip.

 90° right angle design provides maximum torque. - T9/T10/T15/T20/T25/T27/T30/T40

Material PP, TPR, SNCMV Size 114 x 36.5 x 25mm

Weight 149g



Familiar tool, unfamiliarly high quality.

(Click Here) Add to wishlist

Make an impression

Buy less, choose well, quality not quantity.



B.B. Tapping & Facing Kit

BM15-BBTFK

Functions

- Compatible with both English and Italian dimensions.
- 1.37" x 24 TPI right hand bushing English
- 1.37" x 24 TPI left hand bushing English
- 36mm x 24 TPI right hand bushing Italian



Bearing Cup Press

BM15-BC-PRESS

Functions - Presses headset cups, bearings and bearing cups. - Compatible with 1*, 1-1/8*, 1-1/4*, and 1-1/2* headset cups,

one-piece crank bottom bracket cups.

- Quick-release design for fast tool installation and removal.

Material Alloy steel

455 x 290 x 50 mm Size

Includes Two pcs of BB inserts, for press fit bearings OD 45mm / ID 30mm.

Bearing Cup Press II

Presses headset cups, bearings and bearing cups.

Bottom Bracket Installation Tool

- Diameter of thread: 10mm (≈ 3/8")

Material Alloy steel

For BB30 / PF30

BM16-BBIT-30

Functions

Material

Size



Pin Wrench

BM15-BBFW-K

Functions - Double-sided and adjustable design.

For use on bottom brackets, crank, freewheels.

- Diameter of pin: 2.2/2.8mm,

Compatible with BB30 & PF30;

Material Alloy steel / High polymer

Size 155mm

B.B. Socket BSA30 / 386

BM18-BB-BSA30/386

Compatible with Rotor® BSA 30, SRAM® DUB, RaceFace® Cinch, Zipp® Vuma, Hawk Racing® BB3086 or

other 12-notch Ø46.5mm external bearing bottom bracket cups.

- Compatible with FSA® EVO 386 or other 16-notch Ø48.5mm external bearing bottom bracket cups.

Material | CNC machined 7075-T6 aluminium



B.B. Socket Hollowtech II™

BM13-ABB-S

Functions

- 1/2" Dr. socket.

- Compatible with Hollowtech II" or other 16-notch Ø44mm

external bearing bottom bracket cups.

Material Alloy steel



B.B. Socket Adapter BB9000 / BBR60

BM14-BB-ADAPTER

Functions | - Compatible with BB9000 / BBR60 Slides into Birzman B.B. Socket (Hollowtech II™).

Material | CNC machined hardened steel



BM16-BCP02

- Compatible with 1", 1-1/8", 1-1/4", and 1-1/2" headset cups;

BB30, PF30, BB90, BB86 and BB92, and one-piece crank

6805 (25 x 37 x 7mm) and 6806 (30 x 42 x 7mm) BB bearings.

bottom bracket cups.

Size 280 x 230 x 60mm

Alloy steel

280 x 38mm



NEW

B.B. Socket Hollowtech II™

Functions

- 1/2" Dr. socket

- Compatible with Shimano® Hollowtech II™ or other 16-notch Ø44mm external bearing bottom bracket cups, and 16-notch rotor disc lockrings (incl. E-thru axle hubs).

- Fits Shimano® BB Tool Adaptors

TL-FC24 & TL-FC25. Material | CNC machined hardened steel

B.B. Socket Shimano Cartridge

BM08-RWH-SBBT

Functions | - 1/2" Dr. socket.

Compatible with Shimano® Cartridge or other similar 20-spline Ø31.6mm

bottom brackets.

Material Alloy steel



Hook Wrench

BM17-DS-CBBW

Single hook / hook spanner with **Functions** 3 notches / 24mm hex wrench.

Material

SPHC-P Size 300mm



Headset and BB Wrench with Hookspanner

BM17-DS-BB-HEAD-WH

Functions | 16/30/32/36/40 mm

Material SPHC-P Size 300mm



NEW

Lockring Socket

BM19-ABB-B060

Functions | - 1/2" Dr.

Compatible with Bosch Classic* (MY pre-2014) drive units with 8-notch Ø60mm chainring lockrings.

Material | CNC machined alloy steel



NEW

Lockring Socket

Shimano® STEPS Ø39 BM19-ABB-SMN39

Functions | - 1/2" Dr.

Compatible with Shimano® STEPS E6000 drive units with 16-notch Ø39mm chainring lockrings.

Material CNC machined alloy steel



Lockring Socket

Panasonic® Ø62

BM19-ABB-PANA

Functions | - 1/2" Dr.

Compatible with Panasonic® drive units with 6-notch Ø62mm chainring lockrings and bottom bracket cups with Torque Sensor.

Material | CNC machined alloy steel



NEW

Lockring Socket Bosch® Ø50 (Gen 2)

BM19-ABB-B050

Functions | - 1/2" Dr.

- Compatible with Bosch® Active (MY 2014-17), Performance and Performance CX Line (MY 2014 onwards) drive units with 8-notch Ø50mm chainring lockrings.

Material

CNC machined alloy steel



NEW

Lockring Socket

BM19-ABB-SMN54

Functions | - 1/2" Dr.

Compatible with Shimano® STEPS E5000/E7000/E8000 drive units with 16-notch Ø54mm chainring lockrings.

Material

CNC machined alloy steel



Lockring Socket

Compatible with Brose® drive units with 8-notch Ø43mm

Lockring Socket

Yamaha® PW-X Ø46

BM19-ABB-YA-46

Functions | - 1/2" Dr.

Compatible with Yamaha® PW-X drive units with 8-notch Ø46mm chainring lockrings.

Material | CNC machined alloy steel



Lockring Socket

BM19-ABB-B043

Functions |

- 1/2" Dr. Compatible with Bosch® Active Line and Active Line Plus (MY 2017 onwards) drive units with 8-notch Ø43mm chainring lockrings.

Material | CNC machined alloy steel



BM19-ABB-BR-E

Functions |

- 3/2" Dr.

chainring lockrings.

Material | CNC machined alloy steel

Lockring Socket

Yamaha® PW 36mm Hex

BM19-ABB-YA-36

Functions | - 1/2" Dr.

Compatible with Yamaha® PW drive units with 36mm hex chainring lockrings.

Material | CNC machined alloy steel

Crank Tools



Crank Arm Cap Tool

BM14-CAT-S

Functions | Compatible with Hollowtech II cranksets

or other 8-notch crank arm caps.

Material CNC machined 6061 aluminum

Crank Arm Cap Tool II BM18-CAT-2

Functions

- Compatible with Hollowtech II* or other 8-notch crank arm caps / SRAM®, RaceFace®or other 16mm internal hex crank caps .

- Features 6mm hex holes on both sides.

Material CNC machined 6061 aluminum

Chainring Nut Wrench

BM13-CNW-S

Functions

- Immobilises slotted chainring nuts when installing or removing bolts.

9/10mm hex wrenches.

Material | Alloy Steel / High polymer

Universal Crank Puller

BM14-UCP-S

Functions

- Compatible with ISIS® Drive, Octalink® and


square tapered crank arms.

Equipped with a spindle driver with self-rotating tip

to facilitate crank arm extraction.

- Features a protection ring to help prevent damages to the crank arm thread from over-threading.

Material Alloy steel



Pedal Tools



Pedal Wrench

BM14-PW-K

15mm pedal wrench. Functions Material


Hardened steel / TPR Size 12"

Replical (Mock Pedal) BM12-ST-DP01-WD

Material

Functions | Temporarily replaces the pedal when making adjustments during bike assembly. Alloy steel / Varnished wood

> Size 4.7"





Chain Whip

BM14-CW-K

- Compatible with 7-12 speed sprockets.
- Equipped with fixed-gear lockring wrench. Functions

Hardened steel / TPR Material

Size 295mm



Sprocket Remover

BM17-SPR0-WH

Functions | Compatible with 7-12 speed sprockets.

Material | SPHC steel / High polymer

Size 300mm



Belt Drive Sprocket Remover

BM17-BELT-SPRO-WH

Functions Compatible with most major belt drive sprockets.

Material SPHC steel / High polymer

Size 300mm



Lockring Socket Shimano® MF & Campagnolo®

BM08-RWH-FWR

Functions

- 1/2" Dr. socket.
- Compatible with Shimano® MF™ Freewheels, or other similar 12-spline Ø22.7mm lockrings.
- Compatible with Campagnolo® Cassettes, BB and Rotors.

Material Alloy steel



Lockring Socket 5mm Shimano HG"

BM08-RWH-SHGC02

Functions

- 1/2° Dr. socket.
 Features ø5mm center pin.
 Compatible with Shimano° HG°& SRAM° Cassettes, Shimano® Center Lock, or other similar 12-spline Ø23.4mm lockrings.

Material

Alloy steel



1X Freewheel Socket

BM14-BFR-S

Functions

- 1/2" Dr. socket. Compatible with BMX, single speed freewheels or other similar 4-notch Ø41mm lockrings.

Material | Alloy steel



Lockring Socket 12mm Shimano HG™

BM16-LOCK-RING-RM12

Functions

- 1/2" Dr. socket.
- Features Ø12mm center pin for thru axel hubs. Compatible with Shimano® HG~& SRAM® Cassettes,
- Shimano® Center Lock, or other similar 12-spline Ø23.4mm lockrings.

Material

Alloy steel (socket) / Aluminium (center pin)



Head Tube Reaming & Facing Kit

BM15-HT-RFK

Functions | Compatible with 1" and 1%" conventional headset systems.

Includes 30 & 34mm reamers.



12" Hacksaw

вм14-нкв-с

Functions - Adjustable blade tension.

- Equipped with 12"x 24T saw blade

- Compatible with Birzman 12" Carbon Saw Blade (BM14-HCS-C).

Material HSS Bi-Metal (saw blade)



12" Carbon Saw Blade

Functions | - Compatible with 12" Hacksaws.

For use on most carbon tubes.

Material Carbon steel



Hacksaw 10"×24T

BM14-HKS-B

Functions | Equipped with with a 10" x 24T saw blade.

Material | HSS Bi-Metal (saw blade)



Threadless Saw Guide

BM13-TSG-K

Functions

- Guides the blade to ensure a precise cut on tubes ranging from 1 to 11/4".

Reversible panel to accommodate both 1.2mm (steel) and 2mm (carbon) saw blades

Material Alloy steel / High polymer



Tube Cutter

BM08-FTC

Functions | Compatible with Ø6 to 38mm (¼ - 1½") copper, brass, aluminium and

steel tubing.

Material Alloy steel (body)/ High polymer (handle)/

High Speed Steel (blade)/ SK2 (deburrer)

Includes | Replacement blade / deburrer inside handle.



Crown Race Puller

BM15-CRP

Functions

- 45° chamfered edge for greater engagement with crown race.

- Compatible with rigid and suspension forks, 1 to 1½" crown races, with steering columns ranging from 120 to 375mm (4.7-14.7") in length.

- Designed to be secured onto repair stand.

Material Hardened steel (blades) / Alloy steel / High polymer



A Designed to be firmly secured to the workshop table.

Hollow structure eliminates blind spots while reducing overall weight.

Heat-treated then CNC processed blades of high performance and great durability.



Crown Race Removal Tool

BM09-ST-AHC-01-K

Functions | - 45° chamfered edge for greater engagement with crown race.

- Compatible with rigid and suspension forks, 1 to 11/2" crown races.

Material Hardened steel (blades)



Crown Race Setting Tool

BM08-CRST

Material | Alloy steel

Includes | 1" and 1%" inserts.



14" Insert

BM11-ST-CRST02-1.25

Functions | Additional 14" insert for Birzman Crown Race Setting Tool (BM08-CRST).

Material Alloy steel



1½" Insert

BM11-ST-CRST02-1.5

Functions | Additional 11/2" insert for Birzman Crown Race Setting Tool (BM08-CRST).

Material Alloy steel



Threadless Nut Setting Tool

BM14-TNST

Functions | For use on installing star-fangled nuts on 1 to 1%" threadless headset systems.

Material Alloy steel / Aluminium



Frame Alignment Gauge

Functions | Compatible with bikes of all sizes and types

including Fat- and E-Bikes with broader frames, wider wheels and hub motor.

Material | Alloy steel / Stainless steel / High polymer



Universal Head Cup Remover

BM16-HUCR

Functions - Adjustable fan-out dimension (Ø28.58-38.1mm). Compatible with 1 to 11/2" headset cups, BB30

bearings and PF30 bearing cups.

Material CrMo

Patent Taiwan I570011





Head Cup Remover 1", 1%" &1%" | BM08-HCR-28.6

14" & 11/2" BM15-HCR

Material CrMo



Fork End & Frame Alignment Gauge Set

BM16-FFAGS

Functions | - Aligns and corrects fork and rear frame dropouts.

Features removable bushings.

Compatible with forks and frames with a span of 100-160mm between dropouts.

Material Alloy steel / High polymer



Derailleur Hanger Configuration Gauge

BM16-DHCG

Functions - Measures and aligns derailleur hangers.

- Features sliding brackets with precise meter scales.

- Compatible with 20"-29" wheels.

Material Alloy steel / Aluminium / High polymer



Handlebar Holder

BM16-HAN-BAR-HOLDER

Functions - Prevents handlebar and front wheel rotation.

- Compatible with handlebars up to Ø32mm and top tubes up to Ø50mm

Alloy steel / High polymer



Housing and Cable Cutter

BM11-ST-CC02-K

Functions | Features an integrated awl for restoring cut housing ends.

Material Hardened Steel / High polymer

Size 7.5"

Patent | Taiwan M-409139



Cable Pliers

BM16-CAB-PL

Functions | - Pulls cables tight when adjusting brakes and derailleurs.

- Features a thumb lock for single-handed operation.

Material Alloy steel / High polymer

Size 8"



Clam (Disc Brake Calliper Alignment Tool)

BM09-CL-S (3pcs/set)

Functions | Creates an equal space between disc brake pads and

rotor for calliper adjustments.

Material Stainless steel

Size 58mm



Rotor Truing Fork

BM09-RO-ARF-01-K

Functions | Features two different slot lengths.

Material Alloy steel / High polymer

Size 10"



Disc Brake Piston Press

BM14-DBPP-K

Functions | Features a wedge-shaped end of 23mm in width.

Material Hardened steel / TPR

Size



Rotor Wear Indicator

BM19-ROTOR-CC

Functions | - Quickly checks the degree of rotor wear to determine a replacement.

- Laser engraved minimum thickness (lower wear limit) indications as per

suggestion of each rotor manufacturer.

- Covers 90% of mainstream rotor specifications.

- Double-sided, designed for both left and right hand use.

Material CNC machined 7075 aluminium

Size 110 x 29 x 10mm

Weight 225g

Indications | Shimano® / Hope® (Ø180-205 mm) : Min.TH 1.5 mm

SRAM®: Min.TH 1.55 mm

Magura®: Min.TH 1.8 mm

Tektro® & TRP® e-bike (TH 2.3 mm) : Min.TH 2.0 mm

Tektro/TRP Hope e-bke Megure SRAM Shirnero

Tektro/TRP Hope e-bke Maguna SRAM Shimano

Replace rotor

Find the corresponding manufacturer mark, insert worn braking surface of rotor into the slot. If it fits, replace the rotor with a new one.



Internal Cable Routing Kit

BM19-ITL-CAB-RT

Functions | - Magnetic tool that aids internal cable routing by guiding

cables through the frame.

- Compatible with cables, housings/hoses and wires.

- Fabric covered tip protects fram from scratches.

 Built-in awl helps restore cut housing ends for easier attachment with adapter / easier cable insersion.

Includes 4 x indi

4 x individual adapters, 1 x lead wire, 1 x flexible extension

Material Aluminium, Alloy steel (adapters)

Size Ø21x120mm





New housing

Shimano Di2 Electirc Wire

Housing

Cable

Tubes & Tires

The state of the s

Valve Core Tool (Presta / Schrader)

BM15-VCL01

Functions | - For the removal and installation of valve cores.

Features a 5mm flat wrench for removing Presta valve extenders.

Material CNC machined 7075 aluminium

0:- 11 5 60---

Size 11.5 x 60mm




Valve Extender (With Tool)

20mm | BM13-PO-AVE-20-SET 40mm | BM13-PO-AVE-40-SET

80mm BM13-PO-AVE-80-SET

Functions | Attaches to Presta valves with the valve core removed.

Material | CNC machined aluminium





Valve Extender With Valve Core 40mm / 80mm

40mm | BM16-VEC-40 80mm | BM16-VEC-80

Functions | Attaches to Presta valves with the valve core on.

Material | CNC machined aluminium





Tubes & Tires



Tire Seater

BM17-ST-TIRE-SEATER

Functions | - Features anti-slip jaws for swift and easy removal of stubborn tires.

Adjustable to various tire widths.

Material CrMo (jaws) / High polymer (handle)

Size 14"



Wedge Wedge

BM12-ST-WG02-K

Functions | - Multi-purpose tire lever for tire removal and rim strip adjustments.

Insert molded to increase strength and prevent damaging rims.

Ergonomically designed to improve grip and leverage.

Material CrMo / High polymer

Size 210 mm (Wedge Wedge) / 120mm (tire lever)





Tire Lever Set

BM09-WG-SET (3pcs/set) BM09-WG-90PCS (90pcs)

Functions | Features an additional air release knob for use on Schrader valves.

Material Size 120 mm Weight | 13g (1pcs)



BM09-PO-AFT-91-K (1set)

BM09-PO-AFT-02-K (30 sets/box)

Functions - Patch kit for puncture repairs.

Eraser-like stainless scuffer with comfortable grip.

Features a PP panel for storing chain rivet and masterlinks.

Material Stainless steel / High polymer

Size 74 x 43 x 12mm

20g (1set) Weight

Includes 3 x adhesive patches, 1 x tire boot.



Eraser-like scraping tool



Feextube With Tire Lever

Includes | 1 x Feextube (3 x self-adhesive patches, 1 x tire boot),

3 x tire levers.



Feextube Spare Part

BM09-PO-AFT-01-K

Functions | Supplement package for Feextube (BM09-PO-AFT-91-K).

Includes 6 x self-adhesives patches, 2 x tire boots.

NEW

Tubeless Tire Lever Set

BM19-WG-K-SET (3pcs/set)

Functions | Designed specifically to make mounting tight and stubborn tires a less painful experience.

For use on both tubeless and tubed tires.

Clips onto the rim to help hold the mounted parts of the tire bead in place.

Concurved edge fits snugly with the rim, enabling better engagement with the tire bead, and easier tire removal.

Thin edge slips under the tire bead easily, especially handy when there is a tight space between tire bead and rim.

Glass-fiber reinforced high polymer Material

Size 120 x 27 x 6mm

Weight 16g (1pcs)





Concurve edge

Rim clip

NEW

Tubeless Repair Kit

Functions | Puncture repair kit in the shape of a CO2 cartridge (including threads) with

enhanced portability.

Contents include an insertion tool / cleaning file and 5 pcs x 2 sets tire plugs.

Material | CNC machined aluminium / Stainless steel


Size Ø23 x 87.5mm


Weight 44g

Assemble in place of a standard cartridge for a puncture repair and CO2 inflation solution.





Bundle strap





Uncage Repair Kit (BM17-UNCAGE-RP-KIT)









Thread carries

CO2 valve head

in transit.


Tire Plugs


BM19-TIRE-PLUG3550


Functions | Supplement package (5 pcs x 5 sets) for use with a Birzman insertion tool / cleaning file.

Size Ø3.5 x 50mm













Wheel Truing Stand Universal

- Designed for Road, MTB and Fat Bikes.
- Lengthened and strengthened uprights fit wheels up to 29" with or without a tire.
 Compatible with hub widths up to 235mm (with Upright Extensions)
- Interchangeable pointer bits, accepting rim widths from 19-105mm (4").
- Sturdy turning dials of comfortable grip.
- Spring-loaded callipers enable symmetric adjustments of calliper arms.
- Ultimate accuracy.

Material

SPHC / Aluminium / Alloy steel / High polymer (pointer)



Upright Extensions



Calliper Upgrade Kit

Truing Stand Adapter Set

BM17-WHTS-ADAPTER

- Functions | Upright Extensions + Calliper Upgrade Kit.
 - For use with Birzman Truing Stand. (BM15-WHTS) - Upright extensions increase the hub compatibility up to 235mm.
 - New calliper design with interchangeable pointer bits
 - allow greater rim compatibility range of 19-105mm.
 - Accepts tire widths up to 5".

Material | SPHC / Aluminium / Alloy steel / High polymer (pointer)





Dial Indicator Gauge

Functions | - Measures the lateral and radial run-out of wheels to 0.01mm. Mounts easily onto Birzman's Wheel Truing Stand.

Material | Aluminium / Alloy steel / High polymer



Truing Stand Calibration Gauge

Functions | Acts as a replicate of a perfectly dished wheel,

used to inspect and realign the uprights of a truing stand.

Material SUS304 Stainless steel

Size 310 x 141 x 3mm



Spoke Wrenches

Material | CNC machined 7075-T6 aluminium, sandblasted then anodised to indicate individual sizes.



Black 3.23

BM16-SW-B323

For 0.127" (3.23mm) nipples.



Green 3.3

BM16-SW-GN33

For 0.130" (3.30mm) nipples.



Red 3.45

BM16-SW-RD345

For 0.136" (3.45mm) nipples.



Gold 3.96

BM16-SW-GD396

For 0.156" (3.96mm) nipples.

When a pop of colour is completely necessary.



Spoke Wrench

BM12-ST-ABV07-K

Functions - Compatible with 12-15G and

Shimano® 4.3/4.4mm spoke nipples. - Features a hex hole in the center.

Material CrMo



Spoke Tension Meter

BM15-ABV-METER

Functions

- Mitutoyo® dial indicator.
- Scales to 0.01mm.
- Compatible with wheels from 18" and up.
- Wear-resistant measuring posts.

Material | CNC machined aluminium / CrMo / Alloy steel



Bladed Spoke Grip

BM16-BL-SP-G

Functions | Compatible with 1.0-2.0mm

wide bladed spokes.

Material High polymer Size 65 x 45 x 20mm



Wheel Alignment Gauge

BM15-WH-GAUGE

Functions

- Checks the dish on 16" to 29" wheels.

- Features sliding blocks applicable with tire on the wheel.

Aluminium / Alloy steel / High polymer



Rotational Nipple Screwdriver

BM17-RO-NI-SD

Functions | Compatible with rims up to 45mm deep. Material CrMo steel / High polymer

Size 180 x 35mm



Internal Nipple Spoke Wrench

3.2mm Square | BM16-SW32 5.5mm Hex BM16-SW55

3/16" Hex BM16-SW163

Offers a 140mm long reach for Functions | deep section rims.

CrMo / High polymer Material

Size | 160 x 85mm



Spoke Ruler

BM16-SP-RU

Functions - Measures up to 310mm/12.2".

Features embossed markings.

Ball bearings 1/8", 5/32", 3/16", 7/32", 1/4" Spoke diameters Ø1.6-Ø4.4

Material Stainless steel



Hub & Axles Tools



Cone Wrench

13 mm | BM16-CW13 15 mm BM16-CW15 17 mm BM16-CW17 BM16-CW19 19 mm

Material | SPHC / High polymer Width 2mm

Size 210mm




Hub Tools

14 mm BM10-ST-HB12-K14 19 mm BM10-ST-HB17-K19 15 mm BM10-ST-HB18-K20 BM10-ST-HB13-K15 20 mm BM10-ST-HB14-K16 22 mm | BM10-ST-HB19-K22 16 mm 17 mm BM10-ST-HB15-K17

Functions | Features an ergonomically designed bending angle.

SPHC / High polymer Material

> Width 2.4mm Size 240-260mm



BM15-AX-VISE

Functions

- Ø5/9/10/12/15/21/25/36mm, 17-21 hex jaw openings. - Features built-in magnets to hold the Insert in place during bench vise use.

- Compatible with axles, spindles, hydraulic hoses, and Birzman Lockring sockets.

Material CNC machined aluminium



8mm Hex Bit Socket

BM08-RWH-HBS08

Functions | 1/2" Dr.

Material Alloy steel / CrV (bits)



NEW

T30 Hex Bit Socket

BM19-SOCKET-T30

Functions | 1/2" Dr.

Material Alloy steel / CrV (bits)



14mm Hex Socket

BM14-RWH-HBS14

Functions | 1/2" Dr.

Material Alloy steel



15mm Hex Socket

BM14-RWH-HBS15

Functions | 1/2" Dr.

Material Alloy steel



Socket Wrench

BM14-SW-K

Functions | For use with 1/2" Dr. sockets.

Material Hardened steel / TPR

Size 12"



Shifting Spanner

BM13-SS

Functions | - Jaw opens up to 33mm.

- Features a laser engraved measurement scale.

Material Hardened Steel / High polymer

Size 10"



File

BM14-FILE-K

Functions | Half-round file.

Material 65Mn / High polymer

Size 6"



File II

BM17-FILE-K

Functions | Half-round file with anti-slip handle.

Material 65Mn / High polymer

Size 7"



Radio Pliers

BM14-RP-K

Functions

- Five different crimping zones, including a crimper for cable end caps.

Features a forming hole for reforming housing ends and ferrules.

Material

Hardened Steel / High polymer Size 6"



Diagonal Pliers

BM14-DP-K

Material | Hardened Steel / High polymer

Size 6"



Combination Wrench

BM14-HCW-S

Functions | Double-ended, 8/10mm.

Material CrV

Size 5.5"



15mm Combination Wrench

Functions | Features a ratcheting open end with angled edges, and a ratcheting box

end with 72-teeth.

Material | CNC machined CrV / TPR

Size 6.5"



Dead Blow Hammer

BM13-DH

Functions - Anti-slip rubber grip.

- Oil-resistant and cold tolerant.

Material NBR / TPV

Size 12"



Screwdriver Set

BM14-SD-SET

Cross head | 80mm (#1) / 100mm (#2)

Flathead 5.5 x 100mm

Material | CrMo / High polymer



BM15-ORING-P

Functions | - Hooked- and L-shaped ends.

- N- and spoon- shaped ends.

Material Hardened Steel / High polymer



Tape Measure

BM13-ATM-K

Functions | - Sturdy, composite housing.

Metric and Imperial readings up to 3m/10ft in length.

Material Stainless steel / High polymer

Protections



Frame and Crank Protector

BM09-P0-FCP-01

- Transparent Functions

- For use on down tubes, head tubes, seat tubes and cranks.

Material TPU



Chain Stay Protector

Road frames | BM12-PO-CSP02-RB | BM12-PO-CSP02-MB

Material | TPU

Spiral Housing Covers

BM16-SHC (4pcs/Set)

Functions | - Protect frames from housing

Compatible with Ø3 to 5mm housings.

Material Silicone



Tube Tops Housing Covers

4mm | BM16-TTHC-4 | (4pcs/set)

Functions | - Protect frames from housing

scratches. - Slide over housings easily.

Cable Cocoon



BM17-CABL-COCOON (6pcs/set)

Functions

- Provides shelter for surplus cable ends to prevent interference with surrounding parts. Covers frayed ends as temporary protection from deterioration

and prevents injury upon contact.

Derailleur Cable : Ø1.2mm/3pcs Includes

Brake Cable : Ø1.5mm/3pcs Material High polymer



Material Silicone







Pulley Shield

BM17-PO-PULLEY-SH

Functions | Protects rear derailleur from direct collision and interfering with spokes.

Material High polymer





Travel Keeper (Front)

BM10-TR-FCK-01-K

Functions

Maintains fork tension when the wheel is removed.
 Features a quick release lever.

- Compatible with front dropouts with a span of 100mm.

Aluminium / Stainless steel

Includes 1 x Disc Brake Pad Spacer



Travel Keeper (Rear)

BM09-PO-ACK-01-K

Functions

- Maintains chain tension when the wheel is removed.

Features a quick release lever.

Compatible with dear dropouts with a span of 130/135mm.

Aluminium / Stainless steel

Includes

1 x Disc Brake Pad Spacer



Chain Keeper

BM17-CHAIN-KEEPER

Functions

- Keeps the chain in place when the wheel is removed. Features a quick release lever.

Material Silicone / Aluminium

Size 85 x 40 x 11mm

Cleaning & Lubrications



Chain Cleaning Set

BM12-ST-CHC01-SET

Includes

Chain and Freewheel Cleaner Chain Scrubber 120ml Chain Lubricant 120ml



Grease Gun with Lubrication Grease

BM14-LGG-S

Functions | Controls for precise amounts of Birzman Lubrication Grease.



Lubrication Grease 100ML

BM14-LG-100ML

- Protects against corrosion, heat, and water. Functions

-20°C ~ 180°C / -4°F ~ 356°F

Ideal for hubs, screws, nuts, bolts, bearings, and bottom brackets.

Volume

100ml / 3.5oz

Contains Copper, graphite and silicon.



Anti Slip Compound

120ml (4o.z.) | BM16-CBC-120

5ml (0.17o.z.) BM14-CBC-5 (50pcs/box)

Increases friction and reduces fastening torque by up to 30%.
 Specifically designed for carbon fiber & aluminium seat posts, seat tubes, handle bars, and stems.



Magic Oil

M12-ST-MGC02-12PCS (12 bottles/box)

Functions - Multi-purpose maintenance and cleaning oil. - Cleans stubborn stains, removes rust, lubricates and

acts as an anti-rust agent.

Non-flammable and high temperature resistance.

- CFC free with no awful or pungent smell.

Volume | 150ml / 5o.z

Workstations



3 Drawer Workbench

BM08-WB-3D

Functions | - 3 ball bearing drawers.

Perforated back panel with 10 hangers

(4 single, 4 double & 2 U-shaped) Birzman workstands can be attached

and fixed onto the workbench

SPHC steel Material

Size L70 x W100 x H156cm







Single

Mobile Cart-1

BM14-MC-6D

Functions | - 6 ball bearing drawers (4 small, 1 medium & 1 large).

12 plastic inner compartments.

Perforated back panels with 10 single hangers.

Side panel.

Heavy-duty casters (2 fixed & 2 swivel).

Material SPHC steel

Size L46 x W68 x H81cm

Storage

Magnetic Collector



BM15-MAG-C

Functions | Retains small parts to promote quicker access.

Material Size

Stainless steel



1/2" Dr. Socket Holder with Magnetic Panel

BM19-MAG-H

Functions | - Features 7pcs of 1/2" Dr. Socket Holders.

attachment onto metallic surfaces. Material Aluminium / High Polymer

Equipped with a Magnetic Panel for

Size 340 x 28 x 25mm

Others



Workshop Apron

BM10-RO-AWA-01-K

Functions | 4 pockets including one with zip. Size 80 x 58cm



Workshop Apron II BM17-RO-AWA-01-GN

Functions | 3 pockets

Material 420D/600D high density fabric

Size 80 x 58cm



birzman 😈 **f**

